


ARTIKELNUMMER	type	zuigerstang	cilinder	slag	lengte	kracht
		Ø	Ø	mm	h.o.h	N
880.011.301.011	D	4	12	30	128	10
880.011.302.011	D	4	12	30	128	20
880.011.303.011	D	4	12	30	128	30
880.011.304.011	D	4	12	30	128	40
880.011.305.011	D	4	12	30	128	50
880.011.306.011	D	4	12	30	128	60
880.011.307.011	D	4	12	30	128	70
880.011.308.011	D	4	12	30	128	80
880.011.309.011	D	4	12	30	128	90
880.011.310.011	D	4	12	30	128	100
880.011.311.011	D	4	12	30	128	110
880.011.312.011	D	4	12	30	128	120
880.011.313.011	D	4	12	30	128	130
880.011.314.011	D	4	12	30	128	140
880.011.315.011	D	4	12	30	128	150
880.011.316.011	D	4	12	30	128	160
880.011.317.011	D	4	12	30	128	170
880.011.318.011	D	4	12	30	128	180
880.011.701.011	D	4	12	50	168	10
880.011.702.011	D	4	12	50	168	20
880.011.703.011	D	4	12	50	168	30
880.011.704.011	D	4	12	50	168	40
880.011.705.011	D	4	12	50	168	50
880.011.706.011	D	4	12	50	168	60
880.011.707.011	D	4	12	50	168	70
880.011.708.011	D	4	12	50	168	80
880.011.709.011	D	4	12	50	168	90
880.011.710.011	D	4	12	50	168	100
880.011.711.011	D	4	12	50	168	110
880.011.712.011	D	4	12	50	168	120
880.011.713.011	D	4	12	50	168	130
880.011.714.011	D	4	12	50	168	140
880.011.715.011	D	4	12	50	168	150
880.011.716.011	D	4	12	50	168	160
880.011.717.011	D	4	12	50	168	170
880.011.718.011	D	4	12	50	168	180
880.012.701.011	D	4	12	80	228	10
880.012.702.011	D	4	12	80	228	20
880.012.703.011	D	4	12	80	228	30
880.012.704.011	D	4	12	80	228	40
880.012.705.011	D	4	12	80	228	50
880.012.706.011	D	4	12	80	228	60

ARTIKELNUMMER	type	zuigerstang Ø	cilinder Ø	slag mm	lengte h.o.h	kracht N
880.012.707.011	D	4	12	80	228	70
880.012.708.011	D	4	12	80	228	80
880.012.709.011	D	4	12	80	228	90
880.012.710.011	D	4	12	80	228	100
880.012.711.011	D	4	12	80	228	110
880.012.712.011	D	4	12	80	228	120
880.012.713.011	D	4	12	80	228	130
880.012.714.011	D	4	12	80	228	140
880.012.715.011	D	4	12	80	228	150
880.012.716.011	D	4	12	80	228	160
880.012.717.011	D	4	12	80	228	170
880.012.718.011	D	4	12	80	228	180
880.012.301.011	D	4	12	100	268	10
880.012.302.011	D	4	12	100	268	20
880.012.303.011	D	4	12	100	268	30
880.012.304.011	D	4	12	100	268	40
880.012.305.011	D	4	12	100	268	50
880.012.306.011	D	4	12	100	268	60
880.012.307.011	D	4	12	100	268	70
880.012.308.011	D	4	12	100	268	80
880.012.308.044	D	4	12	100	268	80
880.012.309.011	D	4	12	100	268	90
880.012.310.011	D	4	12	100	268	100
880.012.311.011	D	4	12	100	268	110
880.012.312.011	D	4	12	100	268	120
880.012.313.011	D	4	12	100	268	130
880.012.314.011	D	4	12	100	268	140
880.012.315.011	D	4	12	100	268	150
880.012.316.011	D	4	12	100	268	160
880.012.317.011	D	4	12	100	268	170
880.012.318.011	D	4	12	100	268	180
880.012.801.011	D	4	12	120	332	10
880.012.802.011	D	4	12	120	332	20
880.012.803.011	D	4	12	120	332	30
880.012.804.011	D	4	12	120	332	40
880.012.805.011	D	4	12	120	332	50
880.012.806.011	D	4	12	120	332	60
880.012.807.011	D	4	12	120	332	70
880.012.808.011	D	4	12	120	332	80
880.012.809.011	D	4	12	120	332	90
880.012.810.011	D	4	12	120	332	100
880.012.811.011	D	4	12	120	332	110
880.012.812.011	D	4	12	120	332	120
880.012.813.011	D	4	12	120	332	130
880.012.814.011	D	4	12	120	332	140
880.012.815.011	D	4	12	120	332	150
880.012.816.011	D	4	12	120	332	160
880.012.817.011	D	4	12	120	332	170
880.012.818.011	D	4	12	120	332	180
880.013.301.011	D	4	12	150	368	10
880.013.302.011	D	4	12	150	368	20
880.013.303.011	D	4	12	150	368	30
880.013.304.011	D	4	12	150	368	40
880.013.305.011	D	4	12	150	368	50
880.013.306.011	D	4	12	150	368	60
880.013.307.011	D	4	12	150	368	70

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte h.o.h	kracht N
880.013.308.011		D	4	12	150	368	80
880.013.309.011		D	4	12	150	368	90
880.013.310.011		D	4	12	150	368	100
880.013.311.011		D	4	12	150	368	110
880.013.312.011		D	4	12	150	368	120
880.013.313.011		D	4	12	150	368	130
880.013.314.011		D	4	12	150	368	140
880.013.315.011		D	4	12	150	368	150
880.013.316.011		D	4	12	150	368	160
880.013.317.011		D	4	12	150	368	170
880.013.318.011		D	4	12	150	368	180



**SERIE 6-15** uitvoering:kogelgewricht-kogelgewricht



De met X gemerkte gasveren ook in RVS, uit voorraad leverbaar

ARTIKELNUMMER		type	zuigerstang	cilinder	slag	lengte	kracht
			Ø	Ø	mm	h.o.h	N
880.021.905.011		D	6	15	50	192	50
880.021.910.011		D	6	15	50	192	100
880.021.915.011		D	6	15	50	192	150
880.021.925.011		D	6	15	50	192	250
880.021.930.011		D	6	15	50	192	300
880.021.935.011		D	6	15	50	192	350
880.021.940.011		D	6	15	50	192	400
880.022.105.011		D	6	15	60	212	50
880.022.108.011		D	6	15	60	212	80
880.022.110.011		D	6	15	60	212	100
880.022.115.011		D	6	15	60	212	150
880.022.120.011		D	6	15	60	212	200
880.022.125.011		D	6	15	60	212	250
880.022.130.011		D	6	15	60	212	300
880.022.135.011		D	6	15	60	212	350
880.022.140.011		D	6	15	60	212	400
880.022.505.011	x	D	6	15	80	252	850
880.022.507.511	x	D	6	15	80	252	75
880.022.510.011	x	D	6	15	80	252	100
880.022.515.011	x	D	6	15	80	252	150
880.022.520.011	x	D	6	15	80	252	200
880.022.525.011	x	D	6	15	80	252	250
880.022.530.011	x	D	6	15	80	252	300
880.022.535.011	x	D	6	15	80	252	350
880.022.540.011	x	D	6	15	80	252	400
880.022.905.011	x	D	6	15	100	292	50
880.022.910.011	x	D	6	15	100	292	100
880.022.915.011	x	D	6	15	100	292	150
880.022.920.011	x	D	6	15	100	292	200
880.022.925.011	x	D	6	15	100	292	250
880.022.930.011	x	D	6	15	100	292	300
880.022.935.011	x	D	6	15	100	292	350
880.022.940.011	x	D	6	15	100	292	400
880.023.305.011		D	6	15	120	332	50
880.023.310.011		D	6	15	120	332	100
880.023.315.011		D	6	15	120	332	150
880.023.320.011		D	6	15	120	332	200
880.023.325.011		D	6	15	120	332	250
880.023.330.011		D	6	15	120	332	300
880.023.335.011		D	6	15	120	332	350





**SERIE 6-15** uitvoering: kogelgewricht-kogelgewricht


ARTIKELNUMMER		type	zuigerstang	cilinder	slag	lengte	kracht
			Ø	Ø	mm	h.o.h	N

880.023.340.011		D	6	15	120	332	400
880.023.905.011	x	D	6	15	150	392	50
880.023.910.011	x	D	6	15	150	392	10
880.023.915.011	x	D	6	15	150	392	150
880.023.920.011	x	D	6	15	150	392	200
880.023.925.011	x	D	6	15	150	392	250
880.023.930.011	x	D	6	15	150	392	300
880.023.935.011	x	D	6	15	150	392	350
880.023.940.011	x	D	6	15	150	392	400
880.024.905.011		D	6	15	200	492	50
880.024.910.011		D	6	15	200	492	100
880.024.915.011		D	6	15	200	492	150
880.024.920.011		D	6	15	200	492	200
880.024.925.011		D	6	15	200	492	250
880.024.930.011		D	6	15	200	492	300
880.024.935.011		D	6	15	200	492	350
880.024.940.011		D	6	15	200	492	400



**SERIE 8-19** uitvoering: kogelgewricht-kogelgewricht





De met X gemerkte gasveren ook in **RVS**, uit voorraad leverbaar

ARTIKELNUMMER	type	zuigerstang	cilinder	slag	lengte	kracht
		Ø	Ø	mm	h.o.h	N
880.031.801.011	D	8	19	50	181	100
880.031.801.511	D	8	19	50	181	150
880.031.802.011	D	8	19	50	181	200
880.031.802.511	D	8	19	50	181	250
880.031.803.011	D	8	19	50	181	300
880.031.803.511	D	8	19	50	181	350
880.031.804.011	D	8	19	50	181	400
880.031.804.511	D	8	19	50	181	450
880.031.805.011	D	8	19	50	181	500
880.032.010.011	D	8	19	50	205	100
880.032.015.011	D	8	19	50	205	150
880.032.020.011	D	8	19	50	205	200
880.032.025.011	D	8	19	50	205	250
880.032.030.011	D	8	19	50	205	300
880.032.035.011	D	8	19	50	205	350
880.032.040.011	D	8	19	50	205	400
880.032.045.011	D	8	19	50	205	450
880.032.050.011	D	8	19	50	205	500
880.032.055.011	D	8	19	50	205	550
880.032.060.011	D	8	19	50	205	600
880.032.065.011	D	8	19	50	205	650
880.032.070.011	D	8	19	50	205	700
880.032.001.011	D	8	19	60	201	100
880.032.001.511	D	8	19	60	201	150
880.032.002.011	D	8	19	60	201	200
880.032.002.511	D	8	19	60	201	250
880.032.003.011	D	8	19	60	201	300
880.032.003.511	D	8	19	60	201	350
880.032.004.511	D	8	19	60	201	450
880.032.005.011	D	8	19	60	201	500
880.032.310.011	D	8	19	60	225	100
880.032.315.011	D	8	19	60	225	150
880.032.317.011	D	8	19	60	225	170
880.032.320.011	D	8	19	60	225	200
880.032.325.011	D	8	19	60	225	250
880.032.328.011	D	8	19	60	225	280
880.032.330.011	D	8	19	60	225	300
880.032.335.011	D	8	19	60	225	350
880.032.340.011	D	8	19	60	225	400
880.032.345.011	D	8	19	60	225	450
880.032.350.011	D	8	19	60	225	500



## SERIE 8-19 uitvoering: kogelgewricht-kogelgewricht

ARTIKELNUMMER	type	zuigerstang	cilinder	slag	lengte	kracht
		Ø	Ø	mm	h.o.h	N
880.032.355.011	D	8	19	60	225	550
880.032.360.011	D	8	19	60	225	600
880.032.365.011	D	8	19	60	225	650
880.032.370.011	D	8	19	60	225	700

880.032.560.011		D	8	19	60	225	600
880.032.565.011		D	8	19	60	225	650
880.032.410.011		D	8	19	80	241	100
880.032.415.011		D	8	19	80	241	150
880.032.420.011		D	8	19	80	241	200
880.032.425.011		D	8	19	80	241	250
880.032.430.011		D	8	19	80	241	300
880.032.435.011		D	8	19	80	241	350
880.032.440.011		D	8	19	80	241	400
880.032.445.011		D	8	19	80	241	450
880.032.450.011		D	8	19	80	241	500
880.032.710.011	x	D	8	19	80	265	100
880.032.715.011	x	D	8	19	80	265	150
880.032.720.011	x	D	8	19	80	265	200
880.032.725.011	x	D	8	19	80	265	250
880.032.730.011	x	D	8	19	80	265	300
880.032.735.011	x	D	8	19	80	265	350
880.032.740.011	x	D	8	19	80	265	400
880.032.745.011	x	D	8	19	80	265	450
880.032.750.011	x	D	8	19	80	265	500
880.032.755.011	x	D	8	19	80	265	550
880.032.760.011	x	D	8	19	80	265	600
880.032.765.011	x	D	8	19	80	265	650
880.032.770.011	x	D	8	19	80	265	700
880.032.810.011		D	8	19	100	281	100
880.032.815.011		D	8	19	100	281	150
880.032.820.011		D	8	19	100	281	200
880.032.825.011		D	8	19	100	281	250
880.032.830.011		D	8	19	100	281	300
880.032.835.011		D	8	19	100	281	350
880.032.840.011		D	8	19	100	281	400
880.032.850.011		D	8	19	100	281	500
880.033.010.011	x	D	8	19	100	305	100
880.033.015.011	x	D	8	19	100	305	150
880.033.020.011	x	D	8	19	100	305	200
880.033.025.011	x	D	8	19	100	305	250
880.033.030.011	x	D	8	19	100	305	300
880.033.035.011	x	D	8	19	100	305	350
880.033.040.011	x	D	8	19	100	305	400
880.033.050.011	x	D	8	19	100	305	500
880.033.055.011	x	D	8	19	100	305	550
880.033.060.011	x	D	8	19	100	305	600
880.033.065.011	x	D	8	19	100	305	650
880.033.070.011	x	D	8	19	100	305	700
880.033.910.011		D	8	19	150	381	100
880.033.915.011		D	8	19	150	381	150
880.033.920.011		D	8	19	150	381	200
880.033.925.011		D	8	19	150	381	250
880.033.930.011		D	8	19	150	381	300
880.033.935.011		D	8	19	150	381	350



## SERIE 8-19 uitvoering: kogelgewricht-kogelgewricht

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte h.o.h	kracht N
880.033.940.011		D	8	19	150	381	400
880.033.945.011		D	8	19	150	381	450
880.033.950.011		D	8	19	150	381	500
880.034.010.011	x	D	8	19	150	405	100
880.034.015.011	x	D	8	19	150	405	150

880.034.020.011	x	D	8	19	150	405	200
880.034.025.011	x	D	8	19	150	405	250
880.034.030.011	x	D	8	19	150	405	300
880.034.035.011	x	D	8	19	150	405	350
880.034.040.011	x	D	8	19	150	405	400
880.034.045.011	x	D	8	19	150	405	450
880.034.050.011	x	D	8	19	150	405	500
880.034.055.011	x	D	8	19	150	405	550
880.034.060.011	x	D	8	19	150	405	600
880.034.065.011	x	D	8	19	150	405	650
880.034.070.011	x	D	8	19	150	405	700
880.034.150.011	x	D	8	19	150	405	500
880.034.160.011	x	D	8	19	150	405	600
880.034.170.011	x	D	8	19	150	405	700
880.034.901.011		D	8	19	200	481	100
880.034.901.511		D	8	19	200	481	150
880.034.902.011		D	8	19	200	481	200
880.034.902.511		D	8	19	200	481	250
880.034.903.011		D	8	19	200	481	300
880.034.903.511		D	8	19	200	481	350
880.034.904.011		D	8	19	200	481	400
880.034.904.511		D	8	19	200	481	450
880.034.905.011		D	8	19	200	481	500
880.035.115.011	x	D	8	19	200	505	150
880.035.120.011	x	D	8	19	200	505	200
880.035.125.011	x	D	8	19	200	505	250
880.035.130.011	x	D	8	19	200	505	300
880.035.135.011	x	D	8	19	200	505	350
880.035.140.011	x	D	8	19	200	505	400
880.035.145.011	x	D	8	19	200	505	450
880.035.150.011	x	D	8	19	200	505	500
880.035.155.011	x	D	8	19	200	505	550
880.035.160.011	x	D	8	19	200	505	600
880.035.165.011	x	D	8	19	200	505	650
880.035.170.011	x	D	8	19	200	505	700
880.035.901.011		D	8	19	250	581	100
880.035.901.511		D	8	19	250	581	150
880.035.902.011		D	8	19	250	581	200
880.035.902.511		D	8	19	250	581	250
880.035.903.011		D	8	19	250	581	300
880.035.903.511		D	8	19	250	581	350
880.035.904.011		D	8	19	250	581	400
880.035.904.511		D	8	19	250	581	450
880.035.905.011		D	8	19	250	581	500
880.036.001.011	x	D	8	19	250	605	100
880.036.001.511	x	D	8	19	250	605	150
880.036.002.011	x	D	8	19	250	605	200
880.036.002.511	x	D	8	19	250	605	250
880.036.003.011	x	D	8	19	250	605	300



## SERIE 8-19 uitvoering: kogelgewricht-kogelgewricht


ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte h.o.h	kracht N
880.036.003.511	x	D	8	19	250	605	350
880.036.004.011	x	D	8	19	250	605	400
880.036.004.511	x	D	8	19	250	605	450
880.036.005.011	x	D	8	19	250	605	500
880.036.005.511	x	D	8	19	250	605	550
880.036.006.011	x	D	8	19	250	605	600
880.036.006.511	x	D	8	19	250	605	650
880.036.007.011	x	D	8	19	250	605	700



880.036.910.011		D	8	19	300	681	100
880.036.915.011		D	8	19	300	681	150
880.036.920.011		D	8	19	300	681	200
880.036.925.011		D	8	19	300	681	250
880.036.930.011		D	8	19	300	681	300
880.036.835.350		D	8	19	300	681	350
880.036.840.011		D	8	19	300	681	400
880.036.845.011		D	8	19	300	681	450
880.036.850.011		D	8	19	300	681	500
880.037.010.011		D	8	19	300	705	100
880.037.015.011		D	8	19	300	705	150
880.037.020.011		D	8	19	300	705	200
880.037.025.011		D	8	19	300	705	250
880.037.030.011		D	8	19	300	705	300
880.037.035.011		D	8	19	300	705	350
880.037.040.011		D	8	19	300	705	400
880.037.045.011		D	8	19	300	705	450
880.037.050.011		D	8	19	300	705	500
880.037.055.011		D	8	19	300	705	550
880.037.060.011		D	8	19	300	705	600
880.037.065.011		D	8	19	300	705	650
880.037.070.011		D	8	19	300	705	700



## SERIE 10-23 uitvoering: kogelgewricht-kogelgewricht



De met X gemerkte gasveren ook in **RVS**, uit voorraad leverbaar

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte h.o.h	kracht N
880.042.801.011		D	10	23	100	281	100
880.042.802.011		D	10	23	100	281	200
880.042.803.011		D	10	23	100	281	300
880.042.804.011		D	10	23	100	281	400
880.042.805.011		D	10	23	100	281	500
880.043.101.011	x	D	10	23	100	305	100
880.043.102.011	x	D	10	23	100	305	200
880.043.103.011	x	D	10	23	100	305	300
880.043.104.011	x	D	10	23	100	305	400
880.043.105.011	x	D	10	23	100	305	500
880.043.106.011	x	D	10	23	100	305	600
880.043.107.011	x	D	10	23	100	305	700
880.043.107.511	x	D	10	23	100	305	750
880.043.108.011	x	D	10	23	100	305	800
880.043.109.011	x	D	10	23	100	305	900
880.043.110.011	x	D	10	23	100	305	1000
880.043.111.011	x	D	10	23	100	305	1100
880.043.112.011	x	D	10	23	100	305	1200
880.043.801.011		D	10	23	150	381	100
880.043.802.011		D	10	23	150	381	200
880.043.803.011		D	10	23	150	381	300
880.043.804.011		D	10	23	150	381	400
880.043.805.011		D	10	23	150	381	500
880.044.101.011	x	D	10	23	150	405	100
880.044.102.011	x	D	10	23	150	405	200
880.044.103.011	x	D	10	23	150	405	300
880.044.104.011	x	D	10	23	150	405	400
880.044.105.011	x	D	10	23	150	405	500
880.044.106.011	x	D	10	23	150	405	600
880.044.107.011	x	D	10	23	150	405	700
880.044.108.011	x	D	10	23	150	405	800
880.044.108.511	x	D	10	23	150	405	850
880.044.109.011	x	D	10	23	150	405	900
880.044.110.011	x	D	10	23	150	405	1000
880.044.111.011	x	D	10	23	150	405	1100
880.044.112.011	x	D	10	23	150	405	1200
880.044.801.011		D	10	23	200	481	100
880.044.802.011		D	10	23	200	481	200
880.044.803.011		D	10	23	200	481	300
880.044.804.011		D	10	23	200	481	400



## SERIE 10-23 uitvoering:kogelgewricht-kogelgewricht

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte h.o.h	kracht N
880.044.805.011		D	10	23	200	481	500
880.045.801.011		D	10	23	250	581	100
880.045.802.011		D	10	23	250	581	200
880.045.803.011		D	10	23	250	581	300
880.045.804.011		D	10	23	250	581	400
880.045.805.011		D	10	23	250	581	500
880.046.101.011	x	D	10	23	250	605	100
880.046.102.011	x	D	10	23	250	605	200
880.046.103.011	x	D	10	23	250	605	300
880.046.104.011	x	D	10	23	250	605	400

880.046.105.011	x	D	10	23	250	605	500
880.046.106.011	x	D	10	23	250	605	600
880.046.107.011	x	D	10	23	250	605	700
880.046.107.511	x	D	10	23	250	605	750
880.046.108.011	x	D	10	23	250	605	800
880.046.109.011	x	D	10	23	250	605	900
880.046.110.011	x	D	10	23	250	605	1000
880.046.111.011	x	D	10	23	250	605	1100
880.046.120.011	x	D	10	23	250	605	1200
880.046.201.011		D	10	23	270	618	100
880.046.202.011		D	10	23	270	618	200
880.046.203.011		D	10	23	270	618	300
880.046.204.011		D	10	23	270	618	400
880.046.205.011		D	10	23	270	618	500
880.046.401.011		D	10	23	270	642	100
880.046.402.011		D	10	23	270	642	200
880.046.403.011		D	10	23	270	642	300
880.046.404.011		D	10	23	270	642	400
880.046.405.011		D	10	23	270	642	500
880.046.406.011		D	10	23	270	642	600
880.046.407.011		D	10	23	270	642	700
880.046.408.011		D	10	23	270	642	800
880.046.409.011		D	10	23	270	642	900
880.046.410.011		D	10	23	270	642	1000
880.046.411.011		D	10	23	270	642	1100
880.046.412.011		D	10	23	270	642	1200
880.046.801.011		D	10	23	300	681	100
880.046.802.011		D	10	23	300	681	200
880.046.803.011		D	10	23	300	681	300
880.046.804.011		D	10	23	300	681	400
880.046.805.011		D	10	23	300	681	500
880.047.101.011	x	D	10	23	300	705	100
880.047.102.011	x	D	10	23	300	705	200
880.047.103.011	x	D	10	23	300	705	300
880.047.104.011	x	D	10	23	300	705	400
880.047.105.011	x	D	10	23	300	705	500
880.047.106.011	x	D	10	23	300	705	600
880.047.107.011	x	D	10	23	300	705	700
880.047.108.011	x	D	10	23	300	705	800
880.047.109.011	x	D	10	23	300	705	900
880.047.110.011	x	D	10	23	300	705	1000
880.047.111.011	x	D	10	23	300	705	1100
880.047.112.011	x	D	10	23	300	705	1200




## SERIE 10-23 uitvoering:kogelgewricht-kogelgewricht

ARTIKELNUMMER		type	zuigerstang	cilinder	slag	lengte	kracht
			Ø	Ø	mm	h.o.h	N
880.047.801.011		D	10	23	350	781	100
880.047.802.011		D	10	23	350	781	200
880.047.803.011		D	10	23	350	781	300
880.047.804.011		D	10	23	350	781	400
880.047.805.011		D	10	23	350	781	500
880.048.001.011	x	D	10	23	350	805	100
880.048.002.011	x	D	10	23	350	805	200
880.048.003.011	x	D	10	23	350	805	300
880.048.004.011	x	D	10	23	350	805	400
880.048.005.011	x	D	10	23	350	805	500
880.048.006.011	x	D	10	23	350	805	600
880.048.007.011	x	D	10	23	350	805	700
880.048.008.011	x	D	10	23	350	805	800

880.048.009.011	x	D	10	23	350	805	900
880.048.010.011	x	D	10	23	350	805	1000
880.048.011.011	x	D	10	23	350	805	1100
880.048.012.011	x	D	10	23	350	805	1200
880.048.801.011		D	10	23	400	881	100
880.048.802.011		D	10	23	400	881	200
880.048.803.011		D	10	23	400	881	300
880.048.804.011		D	10	23	400	881	400
880.048.805.011		D	10	23	400	881	500
880.049.001.011	x	D	10	23	400	905	100
880.049.002.011	x	D	10	23	400	905	200
880.049.003.011	x	D	10	23	400	905	300
880.049.004.011	x	D	10	23	400	905	400
880.049.005.011	x	D	10	23	400	905	500
880.049.006.011	x	D	10	23	400	905	600
880.049.007.011	x	D	10	23	400	905	700
880.049.008.011	x	D	10	23	400	905	800
880.049.009.011	x	D	10	23	400	905	900
880.049.010.011	x	D	10	23	400	905	100
880.049.011.011	x	D	10	23	400	905	1100
880.049.012.011	x	D	10	23	400	905	1200



## SERIE 14-28 uitvoering:kogelgewricht-kogelgewricht



De met X gemerkte gasveren ook in **RVS**, uit voorraad leverbaar

ARTIKELNUMMER	type	zuigerstang	cilinder	slag	lengte	kracht
		Ø	Ø	mm	h.o.h	N
880.053.205.011	D	14	28	100	318	500

880.053.207.511		D	14	28	100	318	750
880.053.210.011		D	14	28	100	318	1000
880.053.212.511		D	14	28	100	318	1250
880.053.215.011		D	14	28	100	318	1500
880.053.217.011		D	14	28	100	318	1700
880.053.217.511		D	14	28	100	318	1750
880.053.220.011		D	14	28	100	318	2000
880.053.222.511		D	14	28	100	318	2250
880.053.705.011		D	14	28	100	366	500
880.053.707.511		D	14	28	100	366	750
880.053.710.011		D	14	28	100	366	1000
880.053.712.511		D	14	28	100	366	1250
880.053.715.011		D	14	28	100	366	1500
880.053.717.511		D	14	28	100	366	1750
880.053.720.011		D	14	28	100	366	2000
880.053.722.511		D	14	28	100	366	2250
880.054.205.011	x	D	14	28	150	418	500
880.054.207.511	x	D	14	28	150	418	750
880.054.210.011	x	D	14	28	150	418	1000
880.054.212.511	x	D	14	28	150	418	1250
880.054.215.011	x	D	14	28	150	418	1500
880.054.217.511	x	D	14	28	150	418	1750
880.054.220.011	x	D	14	28	150	418	2000
880.054.222.511	x	D	14	28	150	418	2250
880.054.705.011		D	14	28	150	466	500
880.054.707.511		D	14	28	150	466	750
880.054.710.011		D	14	28	150	466	1000
880.054.712.511		D	14	28	150	466	1250
880.054.715.011		D	14	28	150	466	1500
880.054.717.511		D	14	28	150	466	1750
880.054.720.011		D	14	28	150	466	2000
880.054.722.511		D	14	28	150	466	2250
880.055.205.011	x	D	14	28	200	518	500
880.055.207.511	x	D	14	28	200	518	750
880.055.210.011	x	D	14	28	200	518	1000
880.055.212.511	x	D	14	28	200	518	1250
880.055.215.011	x	D	14	28	200	518	1500
880.055.217.511	x	D	14	28	200	518	1750
880.055.220.011	x	D	14	28	200	518	2000



## SERIE 14-28 uitvoering:kogelgewricht-kogelgewricht

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte h.o.h	kracht N
880.055.222.511	x	D	14	28	200	518	2250
880.055.605.011	x	D	14	28	200	566	500
880.055.607.511	x	D	14	28	200	566	750
880.055.610.011	x	D	14	28	200	566	1000
880.055.612.511	x	D	14	28	200	566	1250
880.055.615.011	x	D	14	28	200	566	1500
880.055.617.511	x	D	14	28	200	566	1750
880.055.620.011	x	D	14	28	200	566	2000
880.055.622.511	x	D	14	28	200	566	2250
880.056.205.011	x	D	14	28	250	618	500
880.056.207.511	x	D	14	28	250	618	750
880.056.210.011	x	D	14	28	250	618	1000
880.056.212.500	x	D	14	28	250	618	1250
880.056.215.011	x	D	14	28	250	618	1500
880.056.217.511	x	D	14	28	250	618	1750
880.056.220.011	x	D	14	28	250	618	2000

880.056.222.511	x	D	14	28	250	618	2250
880.056.605.011		D	14	28	250	666	500
880.056.607.511		D	14	28	250	666	750
880.056.610.011		D	14	28	250	666	1000
880.056.612.511		D	14	28	250	666	1250
880.056.615.011		D	14	28	250	666	1500
880.056.617.511		D	14	28	250	666	1750
880.056.620.011		D	14	28	250	666	2000
880.056.622.511		D	14	28	250	666	2250
880.057.205.011	x	D	14	28	300	718	500
880.057.207.511	x	D	14	28	300	718	750
880.057.210.011	x	D	14	28	300	718	1000
880.057.212.511	x	D	14	28	300	718	1250
880.057.215.011	x	D	14	28	300	718	1500
880.057.217.511	x	D	14	28	300	718	1750
880.057.220.011	x	D	14	28	300	718	2000
880.057.222.511	x	D	14	28	300	718	2250
880.057.605.011		D	14	28	300	766	500
880.057.607.511		D	14	28	300	766	750
880.057.610.011		D	14	28	300	766	1000
880.057.612.511		D	14	28	300	766	1250
880.057.615.011		D	14	28	300	766	1500
880.057.617.511		D	14	28	300	766	1750
880.057.620.011		D	14	28	300	766	2000
880.057.622.511		D	14	28	300	766	2250
880.058.205.011		D	14	28	350	818	500
880.058.207.511		D	14	28	350	818	750
880.058.210.011		D	14	28	350	818	1000
880.058.212.511		D	14	28	350	818	1250
880.058.215.011		D	14	28	350	818	1500
880.058.217.511		D	14	28	350	818	1750
880.058.220.011		D	14	28	350	818	2000
880.058.222.511		D	14	28	350	818	2250
880.058.705.011		D	14	28	350	866	500
880.058.707.511		D	14	28	350	866	750
880.058.712.511		D	14	28	350	866	1250



## SERIE 14-28 uitvoering:kogelgewricht-kogelgewricht

ARTIKELNUMMER		type	zuigerstang	cilinder	slag	lengte	kracht
			Ø	Ø	mm	h.o.h	N
880.058.715.011		D	14	28	350	866	1500
880.058.717.511		D	14	28	350	866	1750
880.058.720.011		D	14	28	350	866	2000
880.058.722.511		D	14	28	350	866	2250
880.059.205.011	x	D	14	28	400	918	500
880.059.207.511	x	D	14	28	400	918	750
880.059.210.011	x	D	14	28	400	918	1000
880.059.212.511	x	D	14	28	400	918	1250
880.059.215.011	x	D	14	28	400	918	1500
880.059.217.511	x	D	14	28	400	918	1750
880.059.220.011	x	D	14	28	400	918	2000
880.059.222.511	x	D	14	28	400	918	2250
880.059.707.511		D	14	28	400	966	750
880.059.710.011		D	14	28	400	966	1000
880.059.712.511		D	14	28	400	966	1250
880.059.715.011		D	14	28	400	966	1500
880.059.717.511		D	14	28	400	966	1750
880.059.720.011		D	14	28	400	966	2000

880.059.722.511		D	14	28	400	966	2250
880.051.105.011	x	D	14	28	500	1118	500
880.051.107.511	x	D	14	28	500	1118	750
880.051.110.011	x	D	14	28	500	1118	1000
880.051.112.511	x	D	14	28	500	1118	1250
880.051.115.011	x	D	14	28	500	1118	1500
880.051.117.511	x	D	14	28	500	1118	1750
880.051.120.011	x	D	14	28	500	1118	2000
880.051.122.511	x	D	14	28	500	1118	2250
880.051.205.011		D	14	28	500	1166	500
880.051.207.511		D	14	28	500	1166	750
880.051.210.011		D	14	28	500	1166	1000
880.051.212.511		D	14	28	500	1166	1250
880.051.215.011		D	14	28	500	1166	1500
880.051.217.511		D	14	28	500	1166	1750
880.051.220.011		D	14	28	500	1166	2000
880.051.222.511		D	14	28	500	1166	2250