




SERIE 4-12 uitvoering: oog - oog




ARTIKELNUMMER	type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.010.901.000	D	4	12	30	114	10
880.010.901.500	D	4	12	30	114	15
880.010.902.000	D	4	12	30	114	20
880.010.903.000	D	4	12	30	114	30
880.010.904.000	D	4	12	30	114	40
880.010.905.000	D	4	12	30	114	50
880.010.906.000	D	4	12	30	114	60
880.010.907.000	D	4	12	30	114	70
880.010.908.000	D	4	12	30	114	80
880.010.909.000	D	4	12	30	114	90
880.010.910.000	D	4	12	30	114	100
880.010.911.000	D	4	12	30	114	110
880.010.912.000	D	4	12	30	114	120
880.010.913.000	D	4	12	30	114	130
880.010.914.000	D	4	12	30	114	140
880.010.915.000	D	4	12	30	114	150
880.010.916.000	D	4	12	30	114	160
880.010.917.000	D	4	12	30	114	170
880.010.918.000	D	4	12	30	114	180
880.011.501.000	D	4	12	50	154	10
880.011.502.000	D	4	12	50	154	20
880.011.503.000	D	4	12	50	154	30
880.011.504.000	D	4	12	50	154	40
880.011.505.000	D	4	12	50	154	50
880.011.506.000	D	4	12	50	154	60
880.011.507.000	D	4	12	50	154	70
880.011.508.000	D	4	12	50	154	80
880.011.509.000	D	4	12	50	154	90
880.011.510.000	D	4	12	50	154	100
880.011.511.000	D	4	12	50	154	110
880.011.512.000	D	4	12	50	154	120
880.011.513.000	D	4	12	50	154	130
880.011.514.000	D	4	12	50	154	140
880.011.515.000	D	4	12	50	154	150
880.011.516.000	D	4	12	50	154	160
880.011.517.000	D	4	12	50	154	170
880.011.103.000	D	4	12	80	214	30
880.012.101.000	D	4	12	80	214	10
880.012.102.000	D	4	12	80	214	20
880.012.103.000	D	4	12	80	214	30
880.012.104.000	D	4	12	80	214	40
880.012.105.000	D	4	12	80	214	50
880.012.106.000	D	4	12	80	214	60
880.012.107.000	D	4	12	80	214	70
880.012.108.000	D	4	12	80	214	80
880.012.109.000	D	4	12	80	214	90
880.012.110.000	D	4	12	80	214	100



SERIE 4-12 uitvoering: oog - oog

ARTIKELNUMMER	type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.012.111.000	D	4	12	80	214	110
880.012.112.000	D	4	12	80	214	120
880.012.113.000	D	4	12	80	214	130
880.012.114.000	D	4	12	80	214	140
880.012.115.000	D	4	12	80	214	150
880.012.116.000	D	4	12	80	214	160
880.012.117.000	D	4	12	80	214	170
880.012.118.000	D	4	12	80	214	180
880.012.501.000	D	4	12	100	254	10
880.012.502.000	D	4	12	100	254	20
880.012.503.000	D	4	12	100	254	30
880.012.504.000	D	4	12	100	254	40
880.012.504.500	D	4	12	100	254	45
880.012.505.000	D	4	12	100	254	50
880.012.506.000	D	4	12	100	254	60
880.012.507.000	D	4	12	100	254	70
880.012.508.000	D	4	12	100	254	80
880.012.509.000	D	4	12	100	254	90
880.012.510.000	D	4	12	100	254	100
880.012.511.000	D	4	12	100	254	110
880.012.512.000	D	4	12	100	254	120
880.012.513.000	D	4	12	100	254	130
880.012.514.000	D	4	12	100	254	140
880.012.515.000	D	4	12	100	254	150
880.012.516.000	D	4	12	100	254	160
880.012.517.000	D	4	12	100	254	170
880.012.518.000	D	4	12	100	254	180
880.012.901.000	D	4	12	120	294	10
880.012.902.000	D	4	12	120	294	20
880.012.903.000	D	4	12	120	294	30
880.012.904.000	D	4	12	120	294	40
880.012.905.000	D	4	12	120	294	50
880.012.906.000	D	4	12	120	294	60
880.012.907.000	D	4	12	120	294	70
880.012.908.000	D	4	12	120	294	80
880.012.909.000	D	4	12	120	294	90
880.012.910.000	D	4	12	120	294	100
880.012.911.000	D	4	12	120	294	110
880.012.912.000	D	4	12	120	294	120
880.012.913.000	D	4	12	120	294	130
880.012.914.000	D	4	12	120	294	140
880.012.915.000	D	4	12	120	294	150
880.012.916.000	D	4	12	120	294	160
880.012.917.000	D	4	12	120	294	170
880.012.918.000	D	4	12	120	294	180
880.013.301.000	D	4	12	150	354	10
880.013.302.000	D	4	12	150	354	20
880.013.303.000	D	4	12	150	354	30
880.013.304.000	D	4	12	150	354	40
880.013.305.000	D	4	12	150	354	50
880.013.306.000	D	4	12	150	354	60
880.013.307.000	D	4	12	150	354	70
880.013.308.000	D	4	12	150	354	80
880.013.309.000	D	4	12	150	354	90
880.013.310.000	D	4	12	150	354	100
880.013.311.000	D	4	12	150	354	110
880.013.312.000	D	4	12	150	354	120
880.013.313.000	D	4	12	150	354	130
880.013.314.000	D	4	12	150	354	140
880.013.315.000	D	4	12	150	354	150
880.013.316.000	D	4	12	150	354	160
880.013.317.000	D	4	12	150	354	170
880.013.318.000	D	4	12	150	354	180





De met X gemerkte gasveren ook in RVS, uit voorraad leverbaar


ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.021.805.000		D	6	15	50	180	50
880.021.810.000		D	6	15	50	180	100
880.021.815.000		D	6	15	50	180	150
880.021.820.000		D	6	15	50	180	200
880.021.825.000		D	6	15	50	180	250
880.021.830.000		D	6	16	50	180	300
880.021.835.000		D	6	15	50	180	350
880.021.840.000		D	6	15	50	180	400
880.022.005.000		D	6	15	60	200	50
880.022.010.000		D	6	15	60	200	100
880.022.015.000		D	6	15	60	200	150
880.022.020.000		D	6	15	60	200	200
880.022.025.000		D	6	15	60	200	250
880.022.030.000		D	6	15	60	200	300
880.022.035.000		D	6	15	60	200	350
880.022.040.000		D	6	15	60	200	400
880.022.405.000	x	D	6	15	80	240	50
880.022.410.000	x	D	6	15	80	240	100
880.022.415.000	x	D	6	15	80	240	150
880.022.420.000	x	D	6	15	80	240	200
880.022.425.000	x	D	6	15	80	240	250
880.022.430.000	x	D	6	15	80	240	300
880.022.435.000	x	D	6	15	80	240	350
880.022.440.000	x	D	6	15	80	240	400
880.022.803.500	x	D	6	15	100	280	35
880.022.804.000	x	D	6	15	100	280	40
880.022.805.000	x	D	6	15	100	280	50
880.022.810.000	x	D	6	15	100	280	100
880.022.815.000	x	D	6	15	100	280	150
880.022.820.000	x	D	6	15	100	280	200
880.022.825.000	x	D	6	15	100	280	250
880.022.830.000	x	D	6	15	100	280	300
880.022.835.000	x	D	6	15	100	280	350
880.022.840.000	x	D	6	15	100	280	400
880.023.205.000		D	6	15	120	320	50
880.023.210.000		D	6	15	120	320	100
880.023.215.000		D	6	15	120	320	150
880.023.220.000		D	6	15	120	320	200
880.023.225.000		D	6	15	120	320	250
880.023.230.000		D	6	15	120	320	300
880.023.235.000		D	6	15	120	320	350
880.023.240.000		D	6	15	120	320	400
880.023.805.000	x	D	6	15	150	380	50
880.023.807.500	x	D	6	15	150	380	75

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.023.810.000	x	D	6	15	150	380	100
880.023.815.000	x	D	6	15	150	380	150
880.023.820.000	x	D	6	15	150	380	200
880.023.825.000	x	D	6	15	150	380	250
880.023.830.000	x	D	6	15	150	380	300
880.023.835.000	x	D	6	15	150	380	350
880.023.840.000	x	D	6	15	150	380	400
880.024.805.000		D	6	15	200	480	50
880.024.810.000		D	6	15	200	480	100
880.024.815.000		D	6	15	200	480	150
880.024.820.000		D	6	15	200	480	200
880.024.825.000		D	6	15	200	480	250
880.024.830.000		D	6	15	200	480	300
880.024.835.000		D	6	15	200	480	350
880.024.840.000		D	6	15	200	480	400



SERIE 8-19 uitvoering: oog - oog





De met X gemerkte gasveren ook in RVS, uit voorraad leverbaar

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.031.801.000		D	8	19	50	185	100
880.031.801.500		D	8	19	50	185	150
880.031.802.000		D	8	19	50	185	200
880.031.802.500		D	8	19	50	185	250
880.031.803.000		D	8	19	50	185	300
880.031.804.000		D	8	19	50	185	400
880.031.804.500		D	8	19	50	185	450
880.031.805.000		D	8	19	50	185	500
880.032.001.000		D	8	19	50	200	100
880.032.001.500		D	8	19	50	200	150
880.032.002.000		D	8	19	50	200	200
880.032.002.500		D	8	19	50	200	250
880.032.003.000		D	8	19	50	200	300
880.032.003.500		D	8	19	50	200	350
880.032.004.000		D	8	19	50	200	400
880.032.004.500		D	8	19	50	200	450
880.032.005.000		D	8	19	50	200	500
880.032.005.500		D	8	19	50	200	550
880.032.006.000		D	8	19	50	200	600
880.032.006.500		D	8	19	50	200	650
880.032.007.000		D	8	19	50	200	700
880.032.051.000		D	8	19	60	205	100
880.032.051.500		D	8	19	60	205	150
880.032.052.000		D	8	19	60	205	200
880.032.052.500		D	8	19	60	205	250
880.032.053.000		D	8	19	60	205	300
880.032.053.500		D	8	19	60	205	350
880.032.054.000		D	8	19	60	205	400
880.032.054.500		D	8	19	60	205	450
880.032.055.000		D	8	19	60	205	500
880.032.055.500		D	8	19	60	205	550
880.032.056.000		D	8	19	60	205	600
880.032.056.500		D	8	19	60	205	650
880.032.057.000		D	8	19	60	205	700
880.032.201.000		D	8	19	60	220	100
880.032.201.500		D	8	19	60	220	150
880.032.202.000		D	8	19	60	220	200
880.032.202.500		D	8	19	60	220	250
880.032.203.000		D	8	19	60	220	300
880.032.203.500		D	8	19	60	220	350
880.032.204.000		D	8	19	60	220	400
880.032.204.500		D	8	19	60	220	450
880.032.205.000		D	8	19	60	220	500
880.032.205.500		D	8	19	60	220	550
880.032.206.000		D	8	19	60	220	600
880.032.206.500		D	8	19	60	220	650



SERIE 8-19 uitvoering: oog - oog

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.032.207.000		D	8	19	60	220	700
880.032.501.000	x	D	8	19	80	245	100
880.032.501.500	x	D	8	19	80	245	150
880.032.502.000	x	D	8	19	80	245	200
880.032.502.500	x	D	8	19	80	245	250

880.032.503.000	x	D	8	19	80	245	300
880.032.503.500	x	D	8	19	80	245	350
880.032.504.000	x	D	8	19	80	245	400
880.032.504.500	x	D	8	19	80	245	450
880.032.505.000	x	D	8	19	80	245	500
880.032.505.500	x	D	8	19	80	245	550
880.032.506.000	x	D	8	19	80	245	600
880.032.506.500	x	D	8	19	80	245	650
880.032.507.000	x	D	8	19	80	245	700
880.932.560.000	x	D	8	19	80	245	600
880.932.570.000	x	D	8	19	80	245	700
880.032.601.000	x	D	8	19	80	260	100
880.032.601.500	x	D	8	19	80	260	150
880.032.602.000	x	D	8	19	80	260	200
880.032.602.500	x	D	8	19	80	260	250
880.032.603.000	x	D	8	19	80	260	300
880.032.603.500	x	D	8	19	80	260	350
880.032.604.000	x	D	8	19	80	260	400
880.032.604.500	x	D	8	19	80	260	450
880.032.605.000	x	D	8	19	80	260	500
880.032.605.500	x	D	8	19	80	260	550
880.032.606.000	x	D	8	19	80	260	600
880.032.606.500	x	D	8	19	80	260	650
880.032.607.000	x	D	8	19	80	260	700
880.032.901.000	x	D	8	19	100	285	100
880.032.901.500	x	D	8	19	100	285	150
880.032.901.800	x	D	8	19	100	285	180
880.032.902.000	x	D	8	19	100	285	200
880.032.902.500	x	D	8	19	100	285	250
880.032.903.000	x	D	8	19	100	285	300
880.032.903.500	x	D	8	19	100	285	350
880.032.904.000	x	D	8	19	100	285	400
880.032.904.500	x	D	8	19	100	285	450
880.032.905.000	x	D	8	19	100	285	500
880.032.905.500	x	D	8	19	100	285	550
880.032.906.000	x	D	8	19	100	285	600
880.032.906.500	x	D	8	19	100	285	650
880.032.907.000	x	D	8	19	100	285	700
880.033.010.000	x	D	8	19	100	300	100
880.033.015.000	x	D	8	19	100	300	150
880.033.025.000	x	D	8	19	100	300	250
880.033.030.000	x	D	8	19	100	300	300
880.033.035.000	x	D	8	19	100	300	350
880.033.040.000	x	D	8	19	100	300	400
880.033.045.000	x	D	8	19	100	300	450
880.033.050.000	x	D	8	19	100	300	500
880.033.055.000	x	D	8	19	100	300	500
880.033.060.000	x	D	8	19	100	300	600
880.033.065.000	x	D	8	19	100	300	650
880.033.070.000	x	D	8	19	100	300	700
880.033.910.000	x	D	8	19	150	385	100
880.033.915.000	x	D	8	19	150	385	150
880.033.920.000	x	D	8	19	150	385	200
880.033.925.000	x	D	8	19	150	385	250



SERIE 8-19 uitvoering: oog - oog

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.033.930.000	x	D	8	19	150	385	300
880.033.935.000	x	D	8	19	150	385	350
880.033.940.000	x	D	8	19	150	385	400
880.033.945.000	x	D	8	19	150	385	450
880.033.950.000	x	D	8	19	150	385	500
880.033.955.000	x	D	8	19	150	385	550
880.033.965.000	x	D	8	19	150	385	650
880.033.970.000	x	D	8	19	150	385	700

880.034.007.500	x	D	8	19	150	400	75
880.034.010.000	x	D	8	19	150	400	100
880.034.015.000	x	D	8	19	150	400	150
880.034.020.000	x	D	8	19	150	400	200
880.034.025.000	x	D	8	19	150	400	250
880.034.030.000	x	D	8	19	150	400	300
880.034.040.000	x	D	8	19	150	400	400
880.034.045.000	x	D	8	19	150	400	450
880.034.050.000	x	D	8	19	150	400	500
880.034.055.000	x	D	8	19	150	400	550
880.034.060.000	x	D	8	19	150	400	600
880.034.065.000	x	D	8	19	150	400	650
880.034.070.000	x	D	8	19	150	400	700
880.034.901.000	x	D	8	19	200	485	100
880.034.901.500	x	D	8	19	200	485	150
880.034.902.000	x	D	8	19	200	485	200
880.034.902.500	x	D	8	19	200	485	250
880.034.903.000	x	D	8	19	200	485	300
880.034.903.500	x	D	8	19	200	485	350
880.034.904.000	x	D	8	19	200	485	400
880.034.904.500	x	D	8	19	200	485	450
880.034.905.000	x	D	8	19	200	485	500
880.034.905.500	x	D	8	19	200	485	550
880.034.906.000	x	D	8	19	200	485	600
880.034.906.500	x	D	8	19	200	485	650
880.034.907.000	x	D	8	19	200	485	700
880.035.110.000	x	D	8	19	200	500	100
880.035.115.000	x	D	8	19	200	500	150
880.035.120.000	x	D	8	19	200	500	200
880.035.125.000	x	D	8	19	200	500	250
880.035.130.000	x	D	8	19	200	500	300
880.035.135.000	x	D	8	19	200	500	350
880.035.140.000	x	D	8	19	200	500	400
880.035.145.000	x	D	8	19	200	500	450
880.035.150.000	x	D	8	19	200	500	500
880.035.155.000	x	D	8	19	200	500	550
880.035.160.000	x	D	8	19	200	500	600
880.035.165.000	x	D	8	19	200	500	650
880.035.170.000	x	D	8	19	200	500	700
880.035.915.000	x	D	8	19	250	585	150
880.035.920.000	x	D	8	19	250	585	200
880.035.925.000	x	D	8	19	250	585	250
880.035.930.000	x	D	8	19	250	585	300
880.035.935.000	x	D	8	19	250	585	350
880.035.940.000	x	D	8	19	250	585	400
880.035.945.000	x	D	8	19	250	585	450
880.035.950.000	x	D	8	19	250	585	500
880.035.955.000	x	D	8	19	250	585	550
880.035.960.000	x	D	8	19	250	585	600
880.035.965.000	x	D	8	19	250	585	650
880.035.970.000	x	D	8	19	250	585	700




SERIE 8-19 uitvoering: oog - oog

ARTIKELNUMMER		type	zuigerstang	cilinder	slag	lengte	kracht
			Ø	Ø	mm	mm	N
880.036.001.000	x	D	8	19	250	600	100
880.036.001.500	x	D	8	19	250	600	150
880.036.002.000	x	D	8	19	250	600	200
880.036.002.500	x	D	8	19	250	600	250
880.036.003.000	x	D	8	19	250	600	300
880.036.003.500	x	D	8	19	250	600	350
880.036.004.000	x	D	8	19	250	600	400
880.036.004.500	x	D	8	19	250	600	450
880.036.005.000	x	D	8	19	250	600	500
880.036.005.500	x	D	8	19	250	600	550
880.036.006.000	x	D	8	19	250	600	600

880.036.006.500	x	D	8	19	250	600	650
880.036.007.000	x	D	8	19	250	600	700
880.036.910.000		D	8	19	300	685	100
880.036.915.000		D	8	19	300	685	150
880.036.920.000		D	8	19	300	685	200
880.036.925.000		D	8	19	300	685	250
880.036.930.000		D	8	19	300	685	300
880.036.935.000		D	8	19	300	685	350
880.036.940.000		D	8	19	300	685	400
880.036.945.000		D	8	19	300	685	450
880.036.950.000		D	8	19	300	685	500
880.036.955.000		D	8	19	300	685	550
880.036.960.000		D	8	19	300	685	600
880.036.965.000		D	8	19	300	685	650
880.036.970.000		D	8	19	300	685	700
880.037.010.000		D	8	19	300	700	100
880.037.015.000		D	8	19	300	700	150
880.037.020.000		D	8	19	300	700	200
880.037.025.000		D	8	19	300	700	250
880.037.030.000		D	8	19	300	700	300
880.037.035.000		D	8	19	300	700	350
880.037.040.000		D	8	19	300	700	400
880.037.045.000		D	8	19	300	700	450
880.037.050.000		D	8	19	300	700	500
880.037.055.000		D	8	19	300	700	550
880.037.060.000		D	8	19	300	700	600
880.037.065.000		D	8	19	300	700	650
880.037.070.000		D	8	19	300	700	700



SERIE 10-23 uitvoering: oog - oog



De met X gemerkte gasveren ook in **RVS**, uit voorraad leverbaar

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.042.901.000	x	D	10	23	100	285	100
880.042.902.000	x	D	10	23	100	285	200

880.042.903.000	x	D	10	23	100	285	300
880.042.904.000	x	D	10	23	100	285	400
880.042.905.000	x	D	10	23	100	285	500
880.042.906.000	x	D	10	23	100	285	600
880.042.907.000	x	D	10	23	100	285	700
880.042.908.000	x	D	10	23	100	285	800
880.042.909.000	x	D	10	23	100	285	900
880.042.910.000	x	D	10	23	100	285	1000
880.042.911.000	x	D	10	23	100	285	1100
880.042.912.000	x	D	10	23	100	285	1200
880.942.910.000	x	D	10	23	100	285	1000
880.043.001.000	x	D	10	23	100	300	100
880.043.002.000	x	D	10	23	100	300	200
880.043.003.000	x	D	10	23	100	300	300
880.043.004.000	x	D	10	23	100	300	400
880.043.005.000	x	D	10	23	100	300	500
880.043.006.000	x	D	10	23	100	300	600
880.043.007.000	x	D	10	23	100	300	700
880.043.008.000	x	D	10	23	100	300	800
880.043.009.000	x	D	10	23	100	300	900
880.043.010.000	x	D	10	23	100	300	1000
880.043.011.000	x	D	10	23	100	300	1100
880.043.012.000	x	D	10	23	100	300	1200
880.043.901.000	x	D	10	23	150	385	100
880.043.902.000	x	D	10	23	150	385	200
880.043.903.000	x	D	10	23	150	385	300
880.043.904.000	x	D	10	23	150	385	400
880.043.905.000	x	D	10	23	150	385	500
880.043.906.000	x	D	10	23	150	385	600
880.043.907.000	x	D	10	23	150	385	700
880.043.908.000	x	D	10	23	150	385	800
880.043.909.000	x	D	10	23	150	385	900
880.043.910.000	x	D	10	23	150	385	1000
880.043.911.000	x	D	10	23	150	385	1100
880.043.912.000	x	D	10	23	150	385	1200
880.044.001.000	x	D	10	23	150	400	100
880.044.002.000	x	D	10	23	150	400	200
880.044.003.000	x	D	10	23	150	400	300
880.044.004.000	x	D	10	23	150	400	400
880.044.005.000	x	D	10	23	150	400	500
880.044.006.000	x	D	10	23	150	400	600
880.044.007.000	x	D	10	23	150	400	700
880.044.008.000	x	D	10	23	150	400	800
880.044.008.500	x	D	10	23	150	400	850



SERIE 10-23 uitvoering: oog - oog

ARTIKELNUMMER		type	zuigerstang	cilinder	slag	lengte	kracht
			Ø	Ø	mm	mm	N
880.044.009.000	x	D	10	23	150	400	900
880.044.010.000	x	D	10	23	150	400	1000
880.044.011.000	x	D	10	23	150	400	1100
880.044.012.000	x	D	10	23	150	400	1200
880.044.901.500	x	D	10	23	200	485	150
880.044.902.500	x	D	10	23	200	485	250
880.044.903.500	x	D	10	23	200	485	350
880.044.903.600	x	D	10	23	200	485	350
880.044.904.500	x	D	10	23	200	485	450
880.044.905.500	x	D	10	23	200	485	550
880.044.906.500	x	D	10	23	200	485	650
880.044.907.500	x	D	10	23	200	485	750
880.044.908.500	x	D	10	23	200	485	850
880.044.909.500	x	D	10	23	200	485	950
880.044.912.000	x	D	10	23	200	485	1200
880.044.801.000	x	D	10	23	200	485	100
880.044.802.000	x	D	10	23	200	485	200
880.044.804.000	x	D	10	23	200	485	400
880.044.805.000	x	D	10	23	200	485	500

880.044.806.000	x	D	10	23	200	485	600
880.044.807.000	x	D	10	23	200	485	700
880.044.808.000	x	D	10	23	200	485	800
880.044.810.000	x	D	10	23	200	485	1000
880.044.811.000	x	D	10	23	200	485	1100
880.045.001.000	x	D	10	23	200	500	100
880.045.002.000	x	D	10	23	200	500	200
880.045.003.000	x	D	10	23	200	500	300
880.045.004.000	x	D	10	23	200	500	400
880.045.004.500	x	D	10	23	200	500	500
880.045.005.000	x	D	10	23	200	500	500
880.045.006.000	x	D	10	23	200	500	600
880.045.007.000	x	D	10	23	200	500	700
880.045.007.500	x	D	10	23	200	500	750
880.045.008.000	x	D	10	23	200	500	800
880.045.009.000	x	D	10	23	200	500	900
880.045.010.000	x	D	10	23	200	500	1000
880.045.011.000	x	D	10	23	200	500	1100
880.045.012.000	x	D	10	23	200	500	1200
880.045.901.000	x	D	10	23	250	585	100
880.045.902.000	x	D	10	23	250	585	200
880.045.903.000	x	D	10	23	250	585	300
880.045.904.000	x	D	10	23	250	585	400
880.045.905.000	x	D	10	23	250	585	500
880.045.906.000	x	D	10	23	250	585	600
880.045.907.000	x	D	10	23	250	585	700
880.045.908.000	x	D	10	23	250	585	800
880.045.909.000	x	D	10	23	250	585	900
880.045.910.000	x	D	10	23	250	585	1000
880.045.911.000	x	D	10	23	250	585	1100
880.045.912.000	x	D	10	23	250	585	1200
880.046.001.000	x	D	10	23	250	600	100
880.046.002.000	x	D	10	23	250	600	200
880.046.003.000	x	D	10	23	250	600	300
880.046.003.500	x	D	10	23	250	600	350
880.046.004.000	x	D	10	23	250	600	400
880.046.005.000	x	D	10	23	250	600	500
880.046.006.000	x	D	10	23	250	600	600
880.046.007.000	x	D	10	23	250	600	700



SERIE 10-23 uitvoering: oog - oog

ARTIKELNUMMER		type	zuigerstang	cilinder	slag	lengte	kracht
			Ø	Ø	mm	mm	N
880.046.008.000	x	D	10	23	250	600	800
880.046.009.000	x	D	10	23	250	600	900
880.046.010.000	x	D	10	23	250	600	1000
880.046.011.000	x	D	10	23	250	600	1100
880.046.012.000	x	D	10	23	250	600	1200
880.046.201.000		D	10	23	270	620	100
880.046.202.000		D	10	23	270	620	200
880.046.203.000		D	10	23	270	620	300
880.046.204.000		D	10	23	270	620	400
880.046.205.000		D	10	23	270	620	500
880.046.206.000		D	10	23	270	620	600
880.046.206.500		D	10	23	270	620	650
880.046.206.509		D	10	23	270	620	650
880.046.207.000		D	10	23	270	620	700
880.046.207.500		D	10	23	270	620	750
880.046.207.600		D	10	23	270	620	750
880.046.208.000		D	10	23	270	620	800
880.046.210.000		D	10	23	270	620	1000
880.046.211.000		D	10	23	270	620	1100
880.046.212.000		D	10	23	270	620	1200
880.046.401.000		D	10	23	270	636	100
880.046.402.000		D	10	23	270	636	200
880.046.403.000		D	10	23	270	636	300

880.046.404.000		D	10	23	270	636	400
880.046.405.000		D	10	23	270	636	500
880.046.406.000		D	10	23	270	636	600
880.046.407.000		D	10	23	270	636	700
880.046.408.000		D	10	23	270	636	800
880.046.409.000		D	10	23	270	636	900
880.046.410.000		D	10	23	270	636	1000
880.046.411.000		D	10	23	270	636	1100
880.046.412.000		D	10	23	270	636	1200
880.046.801.000	x	D	10	23	300	683	100
880.046.802.000	x	D	10	23	300	683	200
880.046.803.000	x	D	10	23	300	683	300
880.046.804.000	x	D	10	23	300	683	400
880.046.805.000	x	D	10	23	300	683	500
880.046.806.000	x	D	10	23	300	683	600
880.046.807.000	x	D	10	23	300	683	700
880.046.808.000	x	D	10	23	300	683	800
880.046.809.000	x	D	10	23	300	683	900
880.046.810.000	x	D	10	23	300	683	1000
880.046.811.000	x	D	10	23	300	683	1100
880.046.812.000	x	D	10	23	300	683	1200
880.047.001.000	x	D	10	23	300	700	100
880.047.001.500	x	D	10	23	300	700	150
880.047.002.000	x	D	10	23	300	700	200
880.047.002.800	x	D	10	23	300	700	275
880.047.003.000	x	D	10	23	300	700	300
880.047.004.000	x	D	10	23	300	700	400
880.047.005.000	x	D	10	23	300	700	500
880.047.006.000	x	D	10	23	300	700	600
880.047.007.000	x	D	10	23	300	700	700
880.047.008.000	x	D	10	23	300	700	800
880.047.009.000	x	D	10	23	300	700	900
880.047.010.000	x	D	10	23	300	700	1000
880.047.011.000	x	D	10	23	300	700	1100
880.047.012.000	x	D	10	23	300	700	1200
880.047.902.000	x	D	10	23	350	785	200




SERIE 10-23 uitvoering: oog - oog

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.047.903.000	x	D	10	23	350	785	300
880.047.904.000	x	D	10	23	350	785	400
880.047.905.000	x	D	10	23	350	785	500
880.047.906.000	x	D	10	23	350	785	600
880.047.907.000	x	D	10	23	350	785	700
880.047.908.000	x	D	10	23	350	785	800
880.047.909.000	x	D	10	23	350	785	900
880.047.910.000	x	D	10	23	350	785	1000
880.047.911.000	x	D	10	23	350	785	1100
880.047.912.000	x	D	10	23	350	785	1200
880.048.001.000	x	D	10	23	350	800	100
880.048.002.000	x	D	10	23	350	800	200
880.048.003.000	x	D	10	23	350	800	300
880.048.004.000	x	D	10	23	350	800	400
880.048.005.000	x	D	10	23	350	800	500
880.048.006.000	x	D	10	23	350	800	600
880.048.007.000	x	D	10	23	350	800	700
880.048.007.500	x	D	10	23	350	800	750
880.048.008.000	x	D	10	23	350	800	800
880.048.009.000	x	D	10	23	350	800	900
880.048.010.000	x	D	10	23	350	800	1000
880.048.011.000	x	D	10	23	350	800	1100
880.048.012.000	x	D	10	23	350	800	1200
880.048.901.000	x	D	10	23	400	885	100
880.048.902.000	x	D	10	23	400	885	100
880.048.903.000	x	D	10	23	400	885	300

880.048.904.044	x	D	10	23	400	885	400
880.048.905.000	x	D	10	23	400	885	500
880.048.906.000	x	D	10	23	400	885	600
880.048.907.000	x	D	10	23	400	885	700
880.048.908.000	x	D	10	23	400	885	800
880.048.909.000	x	D	10	23	400	885	900
880.048.910.000	x	D	10	23	400	885	1000
880.049.010.000	x	D	10	23	400	900	100
880.049.020.000	x	D	10	23	400	900	200
880.049.030.000	x	D	10	23	400	900	300
880.049.040.000	x	D	10	23	400	900	400
880.049.050.000	x	D	10	23	400	900	500
880.049.060.000	x	D	10	23	400	900	600
880.049.070.000	x	D	10	23	400	900	700
880.049.080.000	x	D	10	23	400	900	800
880.049.090.000	x	D	10	23	400	900	900
880.049.100.000	x	D	10	23	400	900	1000
880.049.120.000	x	D	10	23	400	900	1200



SERIE 14-28 uitvoering: oog - oog



De met X gemerkte gasveren ook in RVS, uit voorraad leverbaar

ARTIKELNUMMER	type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.053.005.000	D	14	28	100	300	500
880.053.007.500	D	14	28	100	300	750
880.053.010.000	D	14	28	100	300	1000
880.053.012.500	D	14	28	100	300	1250
880.053.015.000	D	14	28	100	300	1500
880.053.017.500	D	14	28	100	300	1750
880.053.020.000	D	14	28	100	300	2000
880.053.022.000	D	14	28	100	300	2200
880.053.022.500	D	14	28	100	300	2250
880.053.025.000	D	14	28	100	300	2500

880.053.505.000	D	14	28	100	350	500
880.053.507.500	D	14	28	100	350	750
880.053.510.000	D	14	28	100	350	1000
880.053.515.000	D	14	28	100	350	1500
880.053.517.500	D	14	28	100	350	1750
880.053.520.000	D	14	28	100	350	2000
880.053.522.500	D	14	28	100	350	2250
880.053.525.000	D	14	28	100	350	2500

880.054.005.000	x	D	14	28	150	400	500
880.054.007.500	x	D	14	28	150	400	750
880.054.010.000	x	D	14	28	150	400	1000
880.054.012.500	x	D	14	28	150	400	1250
880.054.015.000	x	D	14	28	150	400	1500
880.054.017.500	x	D	14	28	150	400	1750
880.054.020.000	x	D	14	28	150	400	2000
880.054.021.000	x	D	14	28	150	400	2100
880.054.022.500	x	D	14	28	150	400	2250
880.054.025.000	x	D	14	28	150	400	2500
880.054.505.000		D	14	28	150	450	500
880.054.507.500		D	14	28	150	450	750
880.054.510.000		D	14	28	150	450	1000
880.054.512.500		D	14	28	150	450	1250
880.054.515.000		D	14	28	150	450	1500
880.054.517.500		D	14	28	150	450	1750
880.054.520.000		D	14	28	150	450	2000
880.054.522.500		D	14	28	150	450	2250
880.054.525.000		D	14	28	150	450	2500
880.055.005.000	x	D	14	28	200	500	500
880.055.007.500	x	D	14	28	200	500	750
880.055.010.000	x	D	14	28	200	500	1000
880.055.012.500	x	D	14	28	200	500	1250
880.055.015.000	x	D	14	28	200	500	1500
880.055.017.500	x	D	14	28	200	500	1750
880.055.020.000	x	D	14	28	200	500	2000
880.055.022.500	x	D	14	28	200	500	2250




SERIE 14-28 uitvoering: oog - oog

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.055.025.000	x	D	14	28	200	500	2500
880.055.505.000	x	D	14	28	200	550	500
880.055.507.500	x	D	14	28	200	550	750
880.055.510.000	x	D	14	28	200	550	1000
880.055.512.500	x	D	14	28	200	550	1250
880.055.515.000	x	D	14	28	200	550	1500
880.055.517.500	x	D	14	28	200	550	1750
880.055.520.000	x	D	14	28	200	550	2000
880.055.525.000	x	D	14	28	200	550	2500
880.056.005.000	x	D	14	28	250	600	500
880.056.007.500	x	D	14	28	250	600	750
880.056.010.000	x	D	14	28	250	600	1000
880.056.012.500	x	D	14	28	250	600	1250
880.056.015.000	x	D	14	28	250	600	1500
880.056.017.500	x	D	14	28	250	600	1750
880.056.020.000	x	D	14	28	250	600	2000
880.056.022.500	x	D	14	28	250	600	2250
880.056.025.000	x	D	14	28	250	600	2500
880.056.505.000		D	14	28	250	650	500
880.056.507.500		D	14	28	250	650	750
880.056.510.000		D	14	28	250	650	1000
880.056.512.500		D	14	28	250	650	1250
880.056.513.000		D	14	28	250	650	1300
880.056.515.000		D	14	28	250	650	1500
880.056.517.500		D	14	28	250	650	1750
880.056.520.000		D	14	28	250	650	2000
880.056.522.500		D	14	28	250	650	2250
880.056.525.000		D	14	28	250	650	2500
880.057.005.000	x	D	14	28	300	700	500
880.057.007.500	x	D	14	28	300	700	750
880.057.010.000	x	D	14	28	300	700	1000
880.057.012.500	x	D	14	28	300	700	1250
880.057.015.000	x	D	14	28	300	700	1500
880.057.017.500	x	D	14	28	300	700	1750
880.057.020.000	x	D	14	28	300	700	2000
880.057.022.500	x	D	14	28	300	700	2250
880.057.025.000	x	D	14	28	300	700	2500
880.057.505.000		D	14	28	300	750	500
880.057.507.500		D	14	28	300	750	750
880.057.508.800		D	14	28	300	750	875
880.057.510.000		D	14	28	300	750	1000
880.057.512.500		D	14	28	300	750	1250
880.057.515.000		D	14	28	300	750	1500
880.057.517.500		D	14	28	300	750	1750
880.057.518.000		D	14	28	300	750	1800
880.057.520.000		D	14	28	300	750	2000
880.057.522.500		D	14	28	300	750	2250
880.057.525.000		D	14	28	300	750	2500
880.058.003.500		D	14	28	350	800	350
880.058.005.000		D	14	28	350	800	500
880.058.007.500		D	14	28	350	800	750
880.058.010.000		D	14	28	350	800	1000
880.058.012.500		D	14	28	350	800	1250
880.058.015.000		D	14	28	350	800	1500
880.058.017.500		D	14	28	350	800	1750
880.058.020.000		D	14	28	350	800	2000
880.058.022.500		D	14	28	350	800	2250
880.058.025.000		D	14	28	350	800	2500



SERIE 14-28 uitvoering: oog - oog

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.058.505.000		D	14	28	350	850	500
880.058.507.500		D	14	28	350	850	750
880.058.510.000		D	14	28	350	850	1000
880.058.512.500		D	14	28	350	850	1250
880.058.515.000		D	14	28	350	850	1500
880.058.517.500		D	14	28	350	850	1750
880.058.520.000		D	14	28	350	850	200
880.058.522.500		D	14	28	350	850	2250
880.058.525.000		D	14	28	350	850	2500
880.059.005.000	x	D	14	28	400	900	500
880.059.007.500	x	D	14	28	400	900	750
880.059.010.000	x	D	14	28	400	900	1000
880.059.012.500	x	D	14	28	400	900	1250
880.059.015.000	x	D	14	28	400	900	1500
880.059.017.500	x	D	14	28	400	900	1750
880.059.020.000	x	D	14	28	400	900	2000
880.059.022.500	x	D	14	28	400	900	2250
880.059.025.000	x	D	14	28	400	900	2500
880.059.505.000		D	14	28	400	950	500
880.059.507.500		D	14	28	400	950	750
880.059.510.000		D	14	28	400	950	1000
880.059.512.500		D	14	28	400	950	1250
880.059.515.000		D	14	28	400	950	1500
880.059.517.500		D	14	28	400	950	1750
880.059.520.000		D	14	28	400	950	2000
880.059.525.000		D	14	28	400	950	2500
880.051.102.800	x	D	14	28	500	1100	280
880.051.105.000	x	D	14	28	500	1100	500
880.051.107.500	x	D	14	28	500	1100	750
880.051.110.000	x	D	14	28	500	1100	1000
880.051.112.500	x	D	14	28	500	1100	1250
880.051.117.500	x	D	14	28	500	1100	1750
880.051.120.000	x	D	14	28	500	1100	2000
880.051.122.500	x	D	14	28	500	1100	2250
880.051.125.000	x	D	14	28	500	1100	2500
880.051.205.000	x	D	14	28	500	1150	500
880.051.207.500	x	D	14	28	500	1150	750
880.051.210.000	x	D	14	28	500	1150	1000
880.051.212.500	x	D	14	28	500	1150	1250
880.051.215.000		D	14	28	500	1150	1500
880.051.217.500		D	14	28	500	1150	1750
880.051.220.000		D	14	28	500	1150	2000
880.051.222.500		D	14	28	500	1150	2250
880.051.225.000		D	14	28	500	1150	2500



ARTIKELNUMMER	type	zuigerstang	cilinder	slag	lengte	kracht
		Ø	Ø	mm	mm	N
880.065.045.000	D	20	40	150	500	4500
880.068.009.000	D	20	40	300	800	900
880.061.040.000	D	20	40	400	1000	4000
880.061.207.500	D	20	40	500	1200	750