




## SERIE 4-12 uitvoering: schroefdraad-schroefdraad



ARTIKELNUMMER	type	zuigerstang	cilinder	slag	lengte	kracht
		Ø	Ø	mm	mm	N
880.010.901.044	D	4	12	30	92	10
880.010.902.044	D	4	12	30	92	20
880.010.902.544	D	4	12	30	92	25
880.010.903.044	D	4	12	30	92	30
880.010.904.044	D	4	12	30	92	40
880.010.906.044	D	4	12	30	92	60
880.010.911.044	D	4	12	30	92	110
880.010.912.044	D	4	12	30	92	120
880.010.918.044	D	4	12	30	92	180
880.011.302.044	D	4	12	50	132	20
880.011.318.044	D	4	12	50	132	180
880.011.502.544	D	4	12	60	152	25
880.011.503.044	D	4	12	60	152	30
880.011.503.544	D	4	12	60	152	35
880.011.504.044	D	4	12	60	152	40
880.011.518.044	D	4	12	60	152	180
880.011.903.044	D	4	12	80	192	30
880.011.912.044	D	4	12	80	192	120
880.012.302.044	D	4	12	100	232	20
880.012.302.544	D	4	12	100	232	25
880.012.303.044	D	4	12	100	232	30
880.012.304.044	D	4	12	100	232	40
880.012.314.044	D	4	12	100	232	140
880.012.315.044	D	4	12	100	232	150
880.012.318.044	D	4	12	100	232	180
880.012.701.044	D	4	12	120	272	10
880.012.701.544	D	4	12	120	272	15
880.012.708.044	D	4	12	120	272	80
880.012.718.044	D	4	12	120	272	180
880.013.302.044	D	4	12	150	332	20
880.013.303.044	D	4	12	150	332	30
880.013.309.044	D	4	12	150	332	90
880.013.318.044	D	4	12	150	332	180



## SERIE 6-15 uitvoering: schroefdraad-schroefdraad



De met X gemerkte gasveren ook in **RVS**, uit voorraad leverbaar

ARTIKELNUMMER		type	zuigerstang	cilinder	slag	lengte	kracht
			Ø	Ø	mm	mm	N
880.021.504.044		D	6	15	50	148	40
880.021.505.044		D	6	15	50	148	50
880.021.506.044		D	6	15	50	148	60
880.021.507.044		D	6	15	50	148	70
880.021.507.544		D	6	15	50	148	75
880.021.508.044		D	6	15	50	148	80
880.021.510.044		D	6	15	50	148	100
880.021.511.544		D	6	15	50	148	115
880.021.512.044		D	6	15	50	148	120
880.021.515.044		D	6	15	50	148	150
880.021.517.544		D	6	15	50	148	175
880.021.518.044		D	6	15	50	148	180
880.021.520.044		D	6	15	50	148	200
880.021.525.044		D	6	15	50	148	250
880.021.530.044		D	6	15	50	148	300
880.021.532.544		D	6	15	50	148	325
880.021.535.044		D	6	15	50	148	350
880.021.540.044		D	6	15	50	148	400
880.021.704.044		D	6	15	60	168	40
880.021.705.044		D	6	15	60	168	50
880.021.706.044		D	6	15	60	168	60
880.021.707.544		D	6	15	60	168	75
880.021.708.044		D	6	15	60	168	80
880.021.710.044		D	6	15	60	168	100
880.021.712.044		D	6	15	60	168	125
880.021.712.544		D	6	15	60	168	125
880.021.713.044		D	6	15	60	168	130
880.021.715.044		D	6	15	60	168	150
880.021.717.544		D	6	15	60	168	175
880.021.718.044		D	6	15	60	168	180
880.021.720.044		D	6	15	60	168	200
880.021.722.044		D	6	15	60	168	220
880.021.725.044		D	6	15	60	168	250
880.021.730.044		D	6	15	60	168	300
880.021.735.044		D	6	15	60	168	350
880.021.740.044		D	6	15	60	168	400
880.022.104.044	x	D	6	15	80	208	40
880.022.105.044	x	D	6	15	80	208	50
880.022.106.044	x	D	6	15	80	208	60
880.022.107.544	x	D	6	15	80	208	75



## SERIE 6-15 uitvoering: schroefdraad-schroefdraad

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.022.108.044	x	D	6	15	80	208	80
880.022.109.044	x	D	6	15	80	208	90
880.022.110.044	x	D	6	15	80	208	100
880.022.112.044	x	D	6	15	80	208	120
880.022.112.544	x	D	6	15	80	208	125
880.022.114.044	x	D	6	15	80	208	140
880.022.115.044	x	D	6	15	80	208	150
880.022.117.544	x	D	6	15	80	208	175
880.022.120.044	x	D	6	15	80	208	200
880.022.125.044	x	D	6	15	80	208	250
880.022.130.044	x	D	6	15	80	208	300
880.022.135.044	x	D	6	15	80	208	350
880.022.140.044	x	D	6	15	80	208	400
880.022.504.044	x	D	6	15	100	248	40
880.022.505.044	x	D	6	15	100	248	50
880.022.506.044	x	D	6	15	100	248	60
880.022.506.544	x	D	6	15	100	248	65
880.022.507.544	x	D	6	15	100	248	75
880.022.508.044	x	D	6	15	100	248	80
880.022.509.044	x	D	6	15	100	248	90
880.022.509.544	x	D	6	15	100	248	95
880.022.510.044	x	D	6	15	100	248	100
880.022.511.044	x	D	6	15	100	248	110
880.022.512.044	x	D	6	15	100	248	120
880.022.512.544	x	D	6	15	100	248	125
880.022.513.044	x	D	6	15	100	248	130
880.022.514.044	x	D	6	15	100	248	140
880.022.515.044	x	D	6	15	100	248	150
880.022.516.044	x	D	6	15	100	248	160
880.022.520.044	x	D	6	15	100	248	200
880.022.522.044	x	D	6	15	100	248	220
880.022.522.544	x	D	6	15	100	248	225
880.022.525.044	x	D	6	15	100	248	250
880.022.530.044	x	D	6	15	100	248	300
880.022.535.044	x	D	6	15	100	248	350
880.022.538.044	x	D	6	15	100	248	380
880.022.540.044	x	D	6	15	100	248	400
880.022.902.544	x	D	6	15	120	288	25
880.022.903.344	x	D	6	15	120	288	325
880.022.903.544	x	D	6	15	120	288	35
880.022.904.044	x	D	6	15	120	288	40
880.022.905.044	x	D	6	15	120	288	50
880.022.906.044	x	D	6	15	120	288	60
880.022.907.044	x	D	6	15	120	288	70
880.022.907.544	x	D	6	15	120	288	75
880.022.908.044	x	D	6	15	120	288	80
880.022.910.044	x	D	6	15	120	288	100
880.022.912.544	x	D	6	15	120	288	125
880.022.915.044	x	D	6	15	120	288	150
880.022.917.544	x	D	6	15	120	288	175
880.022.920.044	x	D	6	15	120	288	200
880.022.925.044	x	D	6	15	120	288	250
880.022.930.044	x	D	6	15	120	288	300
880.022.935.044	x	D	6	15	120	288	350
880.022.940.044	x	D	6	15	120	288	400




## SERIE 6-15 uitvoering: schroefdraad-schroefdraad

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.023.503.544		D	6	15	150	348	35
880.023.504.044		D	6	15	150	348	40
880.023.505.044		D	6	15	150	348	50
880.023.506.044		D	6	15	150	348	60
880.023.507.044		D	6	15	150	348	70
880.023.507.544		D	6	15	150	348	75
880.023.508.044		D	6	15	150	348	80
880.023.510.044		D	6	15	150	348	100
880.023.511.044		D	6	15	150	348	110
880.023.512.044		D	6	15	150	348	120
880.023.512.544		D	6	15	150	348	125
880.023.515.044		D	6	15	150	348	150
880.023.516.044		D	6	15	150	348	160
880.023.517.544		D	6	15	150	348	175
880.023.520.044		D	6	15	150	348	200
880.023.525.044		D	6	15	150	348	250
880.023.530.044		D	6	15	150	348	300
880.023.535.044		D	6	15	150	348	350
880.023.540.044		D	6	15	150	348	400
880.024.503.544		D	6	15	200	448	35
880.024.504.044		D	6	15	200	448	40
880.024.505.044		D	6	15	200	448	50
880.024.506.044		D	6	15	200	448	60
880.024.507.044		D	6	15	200	448	70
880.024.507.544		D	6	15	200	448	75
880.024.508.044		D	6	15	200	448	80
880.024.509.044		D	6	15	200	448	90
880.024.510.044		D	6	15	200	448	100
880.024.513.044		D	6	15	200	448	130
880.024.515.044		D	6	15	200	448	150
880.024.516.044		D	6	15	200	448	160
880.024.517.544		D	6	15	200	448	175
880.024.520.044		D	6	15	200	448	200
880.024.525.044		D	6	15	200	448	250
880.024.530.044		D	6	15	200	448	300
880.024.535.044		D	6	15	200	448	350
880.024.540.044		D	6	15	200	448	400



## SERIE 8-19 uitvoering: schroefdraad-schroefdraad



De met X gemerkte gasveren ook in **RVS**, uit voorraad leverbaar

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.031.510.044		D	8	19	50	145	100
880.031.512.044		D	8	19	50	145	120
880.031.515.044		D	8	19	50	145	150
880.031.520.044		D	8	19	50	145	200
880.031.525.044		D	8	19	50	145	250
880.031.530.044		D	8	19	50	145	300
880.031.535.044		D	8	19	50	145	350
880.031.538.044		D	8	19	50	145	380
880.031.540.044		D	8	19	50	145	400
880.031.550.044		D	8	19	50	145	500
880.031.560.044		D	8	19	50	145	600
880.031.570.044		D	8	19	50	145	700
880.031.701.644		D	8	19	60	165	160
880.031.701.844		D	8	19	60	165	180
880.031.710.044		D	8	19	60	165	100
880.031.712.044		D	8	19	60	165	120
880.031.715.044		D	8	19	60	165	150
880.031.717.544		D	8	19	60	165	175
880.031.720.044		D	8	19	60	165	200
880.031.725.044		D	8	19	60	165	250
880.031.730.044		D	8	19	60	165	300
880.031.735.044		D	8	19	60	165	350
880.031.737.544		D	8	19	60	165	375
880.031.740.044		D	8	19	60	165	400
880.031.745.044		D	8	19	60	165	450
880.031.750.044		D	8	19	60	165	500
880.031.760.044		D	8	19	60	165	600
880.031.765.044		D	8	19	60	165	650
880.031.770.044		D	8	19	60	165	700
880.032.010.044	x	D	8	19	80	205	100
880.032.012.544	x	D	8	19	80	205	125
880.032.015.044	x	D	8	19	80	205	150
880.032.018.044	x	D	8	19	80	205	180
880.032.020.044	x	D	8	19	80	205	200
880.032.023.044	x	D	8	19	80	205	230
880.032.025.044	x	D	8	19	80	205	250
880.032.030.044	x	D	8	19	80	205	300
880.032.035.044	x	D	8	19	80	205	350
880.032.040.044	x	D	8	19	80	205	400
880.032.041.044	x	D	8	19	80	205	410
880.032.045.044	x	D	8	19	80	205	450

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.032.050.044	x	D	8	19	80	205	500
880.032.055.044	x	D	8	19	80	205	550
880.032.060.044	x	D	8	19	80	205	600
880.032.065.044	x	D	8	19	80	205	650
880.032.070.044	x	D	8	19	80	205	700
880.032.508.044	x	D	8	19	100	245	80
880.032.510.044	x	D	8	19	100	245	100
880.032.512.044	x	D	8	19	100	245	120
880.032.515.044	x	D	8	19	100	245	150
880.032.518.044	x	D	8	19	100	245	180
880.032.520.044	x	D	8	19	100	245	200
880.032.522.544	x	D	8	19	100	245	225
880.032.525.044	x	D	8	19	100	245	250
880.032.527.544	x	D	8	19	100	245	275
880.032.530.044	x	D	8	19	100	245	300
880.032.532.044	x	D	8	19	100	245	320
880.032.535.044	x	D	8	19	100	245	350
880.032.540.044	x	D	8	19	100	245	400
880.032.542.544	x	D	8	19	100	245	425
880.032.545.044	x	D	8	19	100	245	450
880.032.550.044	x	D	8	19	100	245	500
880.032.555.044	x	D	8	19	100	245	550
880.032.560.044	x	D	8	19	100	245	600
880.032.565.044	x	D	8	19	100	245	650
880.032.570.044	x	D	8	19	100	245	700
880.032.905.044	x	D	8	19	120	285	50
880.032.910.044	x	D	8	19	120	285	100
880.032.911.044	x	D	8	19	120	285	110
880.032.912.544	x	D	8	19	120	285	125
880.032.915.044	x	D	8	19	120	285	150
880.032.917.544	x	D	8	19	120	285	175
880.032.918.044	x	D	8	19	120	285	180
880.032.920.044	x	D	8	19	120	285	200
880.032.925.044	x	D	8	19	120	285	250
880.032.930.044	x	D	8	19	120	285	300
880.032.935.044	x	D	8	19	120	285	350
880.032.936.044	x	D	8	19	120	285	360
880.032.937.044	x	D	8	19	120	285	370
880.032.940.044	x	D	8	19	120	285	400
880.032.945.044	x	D	8	19	120	285	450
880.032.946.044	x	D	8	19	120	285	460
880.032.950.044	x	D	8	19	120	285	500
880.032.955.044	x	D	8	19	120	285	550
880.032.958.044	x	D	8	19	120	285	580
880.032.960.044	x	D	8	19	120	285	600
880.032.965.044	x	D	8	19	120	285	650
880.032.970.044	x	D	8	19	120	285	700
880.033.505.044	x	D	8	19	150	345	50
880.033.508.044	x	D	8	19	150	345	80
880.033.510.044	x	D	8	19	150	345	100
880.033.512.544	x	D	8	19	150	345	125
880.033.515.044	x	D	8	19	150	345	150
880.033.516.044	x	D	8	19	150	345	160
880.033.517.544	x	D	8	19	150	345	175
880.033.518.044	x	D	8	19	150	345	180



## SERIE 8-19 uitvoering:schroefdraad-schroefdraad

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.033.519.044	x	D	8	19	150	345	190
880.033.520.044	x	D	8	19	150	345	200
880.033.525.044	x	D	8	19	150	345	250
880.033.526.044	x	D	8	19	150	345	260
880.033.527.544	x	D	8	19	150	345	275
880.033.530.044	x	D	8	19	150	345	300
880.033.535.044	x	D	8	19	150	345	350
880.033.540.044	x	D	8	19	150	345	400
880.033.545.044	x	D	8	19	150	345	450
880.033.550.044	x	D	8	19	150	345	500
880.033.555.044	x	D	8	19	150	345	550
880.033.560.044	x	D	8	19	150	345	600
880.033.562.044	x	D	8	19	150	345	620
880.033.570.044	x	D	8	19	150	345	700
880.033.710.044		D	8	19	160	365	100
880.033.712.544		D	8	19	160	365	125
880.033.714.044		D	8	19	160	365	140
880.033.715.044		D	8	19	160	365	150
880.033.716.044		D	8	19	160	365	160
880.033.718.044		D	8	19	160	365	180
880.033.720.044		D	8	19	160	365	200
880.033.725.044		D	8	19	160	365	250
880.033.728.044		D	8	19	160	365	280
880.033.730.044		D	8	19	160	365	300
880.033.735.044		D	8	19	160	365	350
880.033.738.044		D	8	19	160	365	380
880.033.740.044		D	8	19	160	365	400
880.033.745.044		D	8	19	160	365	450
880.033.750.044		D	8	19	160	365	500
880.033.755.044		D	8	19	160	365	550
880.033.765.044		D	8	19	160	365	650
880.033.770.044		D	8	19	160	365	700
880.034.505.044	x	D	8	19	200	445	50
880.034.507.544	x	D	8	19	200	445	75
880.034.510.044	x	D	8	19	200	445	100
880.034.512.044	x	D	8	19	200	445	120
880.034.512.544	x	D	8	19	200	445	125
880.034.513.044	x	D	8	19	200	445	130
880.034.515.044	x	D	8	19	200	445	150
880.034.516.044	x	D	8	19	200	445	160
880.034.517.044	x	D	8	19	200	445	170
880.034.517.544	x	D	8	19	200	445	175
880.034.518.044	x	D	8	19	200	445	180
880.034.520.044	x	D	8	19	200	445	200
880.034.521.044	x	D	8	19	200	445	210
880.034.522.044	x	D	8	19	200	445	220
880.034.522.544	x	D	8	19	200	445	225
880.034.525.044	x	D	8	19	200	445	250
880.034.527.544	x	D	8	19	200	445	275
880.034.528.044	x	D	8	19	200	445	280
880.034.530.044	x	D	8	19	200	445	300
880.034.533.044	x	D	8	19	200	445	320
880.034.535.044	x	D	8	19	200	445	350




## SERIE 8-19 uitvoering:schroefdraad-schroefdraad

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.034.537.544	x	D	8	19	200	445	375
880.034.540.044	x	D	8	19	200	445	400
880.034.542.544	x	D	8	19	200	445	425
880.034.543.044	x	D	8	19	200	445	430
880.034.545.044	x	D	8	19	200	445	450
880.034.549.044	x	D	8	19	200	445	490
880.034.550.044	x	D	8	19	200	445	500
880.034.555.044	x	D	8	19	200	445	550
880.034.558.044	x	D	8	19	200	445	580
880.034.560.044	x	D	8	19	200	445	600
880.034.565.044	x	D	8	19	200	445	650
880.034.570.044	x	D	8	19	200	445	700
880.035.505.044	x	D	8	19	250	545	50
880.035.510.044	x	D	8	19	250	545	100
880.035.512.044	x	D	8	19	250	545	120
880.035.512.544	x	D	8	19	250	545	125
880.035.515.044	x	D	8	19	250	545	150
880.035.516.044	x	D	8	19	250	545	160
880.035.517.544	x	D	8	19	250	545	175
880.035.518.044	x	D	8	19	250	545	180
880.035.520.044	x	D	8	19	250	545	200
880.035.522.544	x	D	8	19	250	545	225
880.035.524.044	x	D	8	19	250	545	240
880.035.525.044	x	D	8	19	250	545	250
880.035.527.544	x	D	8	19	250	545	275
880.035.530.044	x	D	8	19	250	545	300
880.035.532.544	x	D	8	19	250	545	325
880.035.535.044	x	D	8	19	250	545	350
880.035.539.044	x	D	8	19	250	545	390
880.035.540.044	x	D	8	19	250	545	400
880.035.545.044	x	D	8	19	250	545	450
880.035.550.044	x	D	8	19	250	545	500
880.035.555.044	x	D	8	19	250	545	550
880.035.560.044	x	D	8	19	250	545	600
880.035.565.044	x	D	8	19	250	545	650
880.035.570.044	x	D	8	19	250	545	700
880.036.504.044		D	8	19	300	645	40
880.036.505.044		D	8	19	300	645	50
880.036.506.044		D	8	19	300	645	60
880.036.510.044		D	8	19	300	645	100
880.036.512.544		D	8	19	300	645	125
880.036.515.044		D	8	19	300	645	150
880.036.516.044		D	8	19	300	645	160
880.036.517.544		D	8	19	300	645	175
880.036.520.044		D	8	19	300	645	200
880.036.525.044		D	8	19	300	645	250
880.036.530.044		D	8	19	300	645	300
880.036.535.044		D	8	19	300	645	350
880.036.540.044		D	8	19	300	645	400
880.036.545.044		D	8	19	300	645	450
880.036.550.044		D	8	19	300	645	500
880.036.555.044		D	8	19	300	645	550
880.036.560.044		D	8	19	300	645	600
880.036.565.044		D	8	19	300	645	650
880.036.570.044		D	8	19	300	645	700





## SERIE 10-23 uitvoering: schroefdraad-schroefdraad



De met X gemerkte gasveren ook in RVS, uit voorraad leverbaar

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.041.501.544		D	10	23	50	145	150
880.041.502.044		D	10	23	50	145	200
880.041.502.544		D	10	23	50	145	250
880.041.503.044		D	10	23	50	145	300
880.041.503.544		D	10	23	50	145	350
880.041.503.744		D	10	23	50	145	370
880.041.504.044		D	10	23	50	145	400
880.041.505.044		D	10	23	50	145	500
880.041.506.044		D	10	23	50	145	600
880.041.507.044		D	10	23	50	145	700
880.041.508.044		D	10	23	50	145	800
880.041.509.044		D	10	23	50	145	900
880.041.510.044		D	10	23	50	145	1000
880.041.512.044		D	10	23	50	145	1200
880.042.501.044	x	D	10	23	100	245	100
880.042.501.544	x	D	10	23	100	245	150
880.042.502.044	x	D	10	23	100	245	200
880.042.502.544	x	D	10	23	100	245	250
880.042.503.044	x	D	10	23	100	245	300
880.042.504.044	x	D	10	23	100	245	400
880.042.504.544	x	D	10	23	100	245	450
880.042.505.544	x	D	10	23	100	245	550
880.042.506.044	x	D	10	23	100	245	600
880.042.506.544	x	D	10	23	100	245	650
880.042.507.044	x	D	10	23	100	245	700
880.042.507.544	x	D	10	23	100	245	750
880.042.508.044	x	D	10	23	100	245	800
880.042.509.044	x	D	10	23	100	245	900
880.042.509.544	x	D	10	23	100	245	950
880.042.510.044	x	D	10	23	100	245	1000
880.042.511.044	x	D	10	23	100	245	1100
880.042.511.544	x	D	10	23	100	245	1150
880.042.512.044	x	D	10	23	100	245	1200
880.042.901.044		D	10	23	120	285	100
880.042.901.544		D	10	23	120	285	150
880.042.902.044		D	10	23	120	285	200
880.042.903.044		D	10	23	120	285	300
880.042.904.044		D	10	23	120	285	400
880.042.904.544		D	10	23	120	285	450
880.042.905.544		D	10	23	120	285	550
880.042.906.044		D	10	23	120	285	600



# SERIE 10-23 uitvoering:schroefdraad-schroefdraad

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.042.906.544		D	10	23	120	285	650
880.042.907.044		D	10	23	120	285	700
880.042.907.544		D	10	23	120	285	750
880.042.908.044		D	10	23	120	285	800
880.042.909.044		D	10	23	120	285	900
880.042.909.544		D	10	23	120	285	950
880.042.911.044		D	10	23	120	285	1100
880.043.501.344	x	D	10	23	150	345	125
880.043.501.544	x	D	10	23	150	345	150
880.043.501.644	x	D	10	23	150	345	160
880.043.503.044	x	D	10	23	150	345	300
880.043.504.044	x	D	10	23	150	345	400
880.043.504.544	x	D	10	23	150	345	450
880.043.505.544	x	D	10	23	150	345	550
880.043.506.544	x	D	10	23	150	345	650
880.043.507.044	x	D	10	23	150	345	700
880.043.508.044	x	D	10	23	150	345	800
880.043.509.044	x	D	10	23	150	345	900
880.043.511.044	x	D	10	23	150	345	1100
880.044.501.544	x	D	10	23	200	445	150
880.044.502.044	x	D	10	23	200	445	200
880.044.503.044	x	D	10	23	200	445	300
880.044.504.044	x	D	10	23	200	445	400
880.044.504.344	x	D	10	23	200	445	425
880.044.504.544	x	D	10	23	200	445	450
880.044.505.544	x	D	10	23	200	445	550
880.044.506.544	x	D	10	23	200	445	650
880.044.507.044	x	D	10	23	200	445	700
880.044.508.044	x	D	10	23	200	445	800
880.044.509.044	x	D	10	23	200	445	900
880.044.511.044	x	D	10	23	200	445	1100
880.045.501.044	x	D	10	23	250	545	100
880.045.501.544	x	D	10	23	250	545	150
880.045.501.644	x	D	10	23	250	545	160
880.045.502.044	x	D	10	23	250	545	200
880.045.502.244	x	D	10	23	250	545	220
880.045.502.544	x	D	10	23	250	545	250
880.045.502.844	x	D	10	23	250	545	275
880.045.503.044	x	D	10	23	250	545	300
880.045.504.044	x	D	10	23	250	545	400
880.045.504.544	x	D	10	23	250	545	450
880.045.505.544	x	D	10	23	250	545	550
880.045.506.544	x	D	10	23	250	545	650
880.045.507.044	x	D	10	23	250	545	700
880.045.508.044	x	D	10	23	250	545	800
880.045.508.544	x	D	10	23	250	545	850
880.045.509.044	x	D	10	23	250	545	900
880.045.509.544	x	D	10	23	250	545	950
880.045.511.044	x	D	10	23	250	545	1100
880.045.801.044		D	10	23	270	582	100
880.045.801.844		D	10	23	270	582	180
880.045.802.044		D	10	23	270	582	200
880.045.802.544		D	10	23	270	582	250
880.045.803.044		D	10	23	270	582	300



## SERIE 10-23 uitvoering:schroefdraad-schroefdraad

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.045.803.544		D	10	23	270	582	350
880.045.804.044		D	10	23	270	582	400
880.045.804.544		D	10	23	270	582	450
880.045.805.044		D	10	23	270	582	500
880.045.807.044		D	10	23	270	582	700
880.045.808.044		D	10	23	270	582	800
880.045.809.044		D	10	23	270	582	900
880.045.809.544		D	10	23	270	582	950
880.045.810.044		D	10	23	270	582	1000
880.045.811.044		D	10	23	270	582	1100
880.046.501.044	x	D	10	23	300	645	100
880.046.501.544	x	D	10	23	300	645	150
880.046.501.844	x	D	10	23	300	645	175
880.046.502.044	x	D	10	23	300	645	200
880.046.502.844	x	D	10	23	300	645	280
880.046.503.044	x	D	10	23	300	645	300
880.046.503.344	x	D	10	23	300	645	325
880.046.504.044	x	D	10	23	300	645	400
880.046.504.544	x	D	10	23	300	645	450
880.046.505.544	x	D	10	23	300	645	550
880.046.506.544	x	D	10	23	300	645	650
880.046.506.844	x	D	10	23	300	645	675
880.046.507.044	x	D	10	23	300	645	700
880.046.508.044	x	D	10	23	300	645	800
880.046.508.544	x	D	10	23	300	645	850
880.046.509.044	x	D	10	23	300	645	900
880.046.509.544	x	D	10	23	300	645	950
880.046.511.044	x	D	10	23	300	645	1100
880.047.201.044		D	10	23	340	722	100
880.047.201.544		D	10	23	340	722	150
880.047.201.844		D	10	23	340	722	180
880.047.202.044		D	10	23	340	722	200
880.047.202.544		D	10	23	340	722	250
880.047.202.644		D	10	23	340	722	260
880.047.203.344		D	10	23	340	722	325
880.047.203.544		D	10	23	340	722	350
880.047.203.644		D	10	23	340	722	360
880.047.204.044		D	10	23	340	722	400
880.047.204.544		D	10	23	340	722	450
880.047.205.044		D	10	23	340	722	500
880.047.205.544		D	10	23	340	722	550
880.047.206.044		D	10	23	340	722	600
880.047.207.044		D	10	23	340	722	700
880.047.208.544		D	10	23	340	722	850
880.047.501.044	x	D	10	23	350	745	100
880.047.501.544	x	D	10	23	350	745	150
880.047.501.844	x	D	10	23	350	745	175
880.047.502.044	x	D	10	23	350	745	200
880.047.502.844	x	D	10	23	350	745	275
880.047.503.044	x	D	10	23	350	745	300
880.047.504.044	x	D	10	23	350	745	400
880.047.504.544	x	D	10	23	350	745	450
880.047.505.544	x	D	10	23	350	745	550
880.047.506.044	x	D	10	23	350	745	600
880.047.506.544	x	D	10	23	350	745	650




## SERIE 10-23 uitvoering:schroefdraad-schroefdraad

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.047.506.844	x	D	10	23	350	745	675
880.047.507.044	x	D	10	23	350	745	700
880.047.508.044	x	D	10	23	350	745	800
880.047.508.544	x	D	10	23	350	745	850
880.047.509.044	x	D	10	23	350	745	900
880.047.511.044	x	D	10	23	350	745	1100
880.048.501.044	x	D	10	23	400	845	100
880.048.501.544	x	D	10	23	400	845	150
880.048.501.644	x	D	10	23	400	845	160
880.048.501.944	x	D	10	23	400	845	190
880.048.502.044	x	D	10	23	400	845	200
880.048.502.744	x	D	10	23	400	845	270
880.048.502.844	x	D	10	23	400	845	280
880.048.503.044	x	D	10	23	400	845	300
880.048.503.344	x	D	10	23	400	845	325
880.048.504.044	x	D	10	23	400	845	400
880.048.504.544	x	D	10	23	400	845	450
880.048.505.044	x	D	10	23	400	845	500
880.048.505.544	x	D	10	23	400	845	550
880.048.506.544	x	D	10	23	400	845	650
880.048.507.044	x	D	10	23	400	845	700
880.048.507.544	x	D	10	23	400	845	750
880.048.508.044	x	D	10	23	400	845	800
880.048.508.544	x	D	10	23	400	845	850
880.048.509.044	x	D	10	23	400	845	900
880.048.509.544	x	D	10	23	400	845	950



## SERIE 14-28 uitvoering: schroefdraad-schroefdraad



De met X gemerkte gasveren ook in **RVS**, uit voorraad leverbaar

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.052.506.544		D	14	28	100	248	650
880.052.510.044		D	14	28	100	248	1000
880.052.517.044		D	14	28	100	248	1700
880.052.524.044		D	14	28	100	248	2400
880.052.525.044		D	14	28	100	248	2500
880.052.902.544		D	14	28	100	296	250
880.052.903.544		D	14	28	100	296	350
880.052.904.544		D	14	28	100	296	450
880.052.905.044		D	14	28	100	296	500
880.052.908.044		D	14	28	100	296	800
880.052.909.044		D	14	28	100	296	900
880.052.912.044		D	14	28	100	296	1200
880.052.912.244		D	14	28	100	296	1225
880.052.913.044		D	14	28	100	296	1300
880.052.914.044		D	14	28	100	296	1400
880.052.916.044		D	14	28	100	296	1600
880.052.919.044		D	14	28	100	296	1900
880.052.922.544		D	14	28	100	296	2250
880.053.501.544	x	D	14	28	150	348	150
880.053.505.044	x	D	14	28	150	348	500
880.053.506.044	x	D	14	28	150	348	600
880.053.507.544	x	D	14	28	150	348	750
880.053.512.044	x	D	14	28	150	348	1200
880.053.513.544	x	D	14	28	150	348	1350
880.053.514.044	x	D	14	28	150	348	1400
880.053.515.544	x	D	14	28	150	348	1550
880.053.516.044	x	D	14	28	150	348	1600
880.053.517.544	x	D	14	28	150	348	1750
880.053.518.044	x	D	14	28	150	348	1800
880.053.522.044	x	D	14	28	150	348	2200
880.053.522.544	x	D	14	28	150	348	2250
880.053.523.044	x	D	14	28	150	348	2300
880.053.524.044	x	D	14	28	150	348	2400
880.053.902.044		D	14	28	150	396	200
880.053.902.544		D	14	28	150	396	250
880.053.903.044		D	14	28	150	396	300
880.053.904.044		D	14	28	150	396	400
880.053.905.044		D	14	28	150	396	500
880.053.905.544		D	14	28	150	396	550
880.053.906.044		D	14	28	150	396	600



## SERIE 14-28 uitvoering:schroefdraad-schroefdraad

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.053.906.544		D	14	28	150	396	650
880.053.907.044		D	14	28	150	396	700
880.053.908.044		D	14	28	150	396	800
880.053.909.044		D	14	28	150	396	900
880.053.913.044		D	14	28	150	396	1300
880.053.914.044		D	14	28	150	396	1400
880.053.916.044		D	14	28	150	396	1600
880.053.916.544		D	14	28	150	396	1650
880.053.918.044		D	14	28	150	396	1800
880.053.920.999		D	14	28	150	396	2000
880.053.921.544		D	14	28	150	396	2150
880.054.502.544	x	D	14	28	200	448	250
880.054.503.044	x	D	14	28	200	448	300
880.054.504.044	x	D	14	28	200	448	400
880.054.504.544	x	D	14	28	200	448	450
880.054.505.044	x	D	14	28	200	448	500
880.054.506.044	x	D	14	28	200	448	600
880.054.507.044	x	D	14	28	200	448	700
880.054.508.044	x	D	14	28	200	448	800
880.054.508.544	x	D	14	28	200	448	850
880.054.509.044	x	D	14	28	200	448	900
880.054.509.544	x	D	14	28	200	448	950
880.054.511.044	x	D	14	28	200	448	1100
880.054.512.044	x	D	14	28	200	448	1200
880.054.513.044	x	D	14	28	200	448	1300
880.054.514.044	x	D	14	28	200	448	1400
880.054.516.044	x	D	14	28	200	448	1600
880.054.518.044	x	D	14	28	200	448	1800
880.054.522.044	x	D	14	28	200	448	2200
880.054.902.044		D	14	28	200	496	200
880.054.902.544		D	14	28	200	496	250
880.054.903.544		D	14	28	200	496	350
880.054.904.044		D	14	28	200	496	400
880.054.904.544		D	14	28	200	496	450
880.054.905.044		D	14	28	200	496	500
880.054.905.544		D	14	28	200	496	550
880.054.906.044		D	14	28	200	496	600
880.054.906.544		D	14	28	200	496	650
880.054.908.044		D	14	28	200	496	800
880.054.908.544		D	14	28	200	496	850
880.054.909.044		D	14	28	200	496	900
880.054.910.544		D	14	28	200	496	1050
880.054.911.044		D	14	28	200	496	1100
880.054.911.544		D	14	28	200	496	1150
880.054.912.044		D	14	28	200	496	1200
880.054.913.044		D	14	28	200	496	1300
880.054.914.044		D	14	28	200	496	1400
880.054.916.044		D	14	28	200	496	1600
880.054.917.544		D	14	28	200	496	1750
880.054.918.044		D	14	28	200	496	1800
880.054.918.999		D	14	28	200	496	1800
880.054.921.044		D	14	28	200	496	2100
880.054.922.544		D	14	28	200	496	2250
880.054.924.544		D	14	28	200	496	2450
880.055.105.044		D	14	28	220	516	500

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.055.106.544		D	14	28	220	516	650
880.055.107.544		D	14	28	220	516	750
880.055.110.044		D	14	28	220	516	1000
880.055.112.544		D	14	28	220	516	1250
880.055.215.044		D	14	28	220	516	1500
880.055.217.544		D	14	28	220	516	1750
880.055.220.044		D	14	28	220	516	2000
880.055.222.544		D	14	28	220	516	2250
880.055.502.544	x	D	14	28	250	546	250
880.055.502.844	x	D	14	28	250	546	280
880.055.503.044	x	D	14	28	250	546	300
880.055.503.544	x	D	14	28	250	546	350
880.055.503.744	x	D	14	28	250	546	370
880.055.504.044	x	D	14	28	250	546	400
880.055.505.044	x	D	14	28	250	546	500
880.055.505.544	x	D	14	28	250	546	550
880.055.506.044	x	D	14	28	250	546	600
880.055.506.544	x	D	14	28	250	546	650
880.055.507.544	x	D	14	28	250	546	750
880.055.508.044	x	D	14	28	250	546	800
880.055.509.544	x	D	14	28	250	546	950
880.055.511.044	x	D	14	28	250	546	1100
880.055.511.544	x	D	14	28	250	546	1150
880.055.512.044	x	D	14	28	250	546	1200
880.055.513.044	x	D	14	28	250	546	1300
880.055.514.044	x	D	14	28	250	546	1400
880.055.514.544	x	D	14	28	250	546	1450
880.055.515.999	x	D	14	28	250	546	1500
880.055.516.544	x	D	14	28	250	546	1650
880.055.517.044	x	D	14	28	250	546	1700
880.055.517.544	x	D	14	28	250	546	1750
880.055.518.044	x	D	14	28	250	546	1800
880.055.519.044	x	D	14	28	250	546	1900
880.055.520.544	x	D	14	28	250	546	2050
880.055.522.544	x	D	14	28	250	546	2250
880.055.523.044	x	D	14	28	250	546	2300
880.055.524.044	x	D	14	28	250	546	2400
880.055.902.544		D	14	28	250	596	250
880.055.903.544		D	14	28	250	596	350
880.055.904.044		D	14	28	250	596	400
880.055.905.044		D	14	28	250	596	500
880.055.906.044		D	14	28	250	596	600
880.055.906.544		D	14	28	250	596	650
880.055.907.044		D	14	28	250	596	700
880.055.908.044		D	14	28	250	596	800
880.055.908.544		D	14	28	250	596	850
880.055.909.044		D	14	28	250	596	900
880.055.910.544		D	14	28	250	596	1050
880.055.911.044		D	14	28	250	596	1100
880.055.912.044		D	14	28	250	596	1200
880.055.913.044		D	14	28	250	596	1300
880.055.914.044		D	14	28	250	596	1400
880.055.917.044		D	14	28	250	596	1700
880.055.917.544		D	14	28	250	596	1750
880.055.918.044		D	14	28	250	596	1800
880.055.919.544		D	14	28	250	596	1950

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.055.920.044		D	14	28	250	596	2000
880.055.921.044		D	14	28	250	596	2100
880.055.922.044		D	14	28	250	596	2200
880.055.922.544		D	14	28	250	596	2250
880.056.502.544	x	D	14	28	300	648	250
880.056.503.044	x	D	14	28	300	648	300
880.056.504.544	x	D	14	28	300	648	450
880.056.505.044	x	D	14	28	300	648	500
880.056.506.044	x	D	14	28	300	648	600
880.056.506.544	x	D	14	28	300	648	650
880.056.507.044	x	D	14	28	300	648	700
880.056.508.044	x	D	14	28	300	648	800
880.056.508.544	x	D	14	28	300	648	850
880.056.511.044	x	D	14	28	300	648	1100
880.056.512.044	x	D	14	28	300	648	1200
880.056.512.999	x	D	14	28	300	648	1200
880.056.513.044	x	D	14	28	300	648	1300
880.056.514.044	x	D	14	28	300	648	1400
880.056.516.044	x	D	14	28	300	648	1600
880.056.517.044	x	D	14	28	300	648	1700
880.056.518.044	x	D	14	28	300	648	1800
880.056.519.044	x	D	14	28	300	648	1900
880.056.521.044	x	D	14	28	300	648	2100
880.056.522.044	x	D	14	28	300	648	2200
880.056.522.544	x	D	14	28	300	648	2250
880.056.902.044		D	14	28	300	696	200
880.056.902.544		D	14	28	300	696	250
880.056.903.044		D	14	28	300	696	300
880.056.903.844		D	14	28	300	696	375
880.056.904.544		D	14	28	300	696	450
880.056.905.044		D	14	28	300	696	500
880.056.905.544		D	14	28	300	696	550
880.056.906.044		D	14	28	300	696	600
880.056.906.544		D	14	28	300	696	650
880.056.907.044		D	14	28	300	696	700
880.056.910.544		D	14	28	300	696	1050
880.056.911.044		D	14	28	300	696	1100
880.056.911.544		D	14	28	300	696	1150
880.056.912.044		D	14	28	300	696	1200
880.056.913.044		D	14	28	300	696	1300
880.056.914.044		D	14	28	300	696	1400
880.056.915.544		D	14	28	300	696	1550
880.056.916.044		D	14	28	300	696	1600
880.056.917.044		D	14	28	300	696	1700
880.056.918.544		D	14	28	300	696	1850
880.056.919.044		D	14	28	300	696	1900
880.056.919.544		D	14	28	300	696	1950
880.056.921.044		D	14	28	300	696	2100
880.056.922.044		D	14	28	300	696	2200
880.056.923.044		D	14	28	300	696	2300
880.056.924.544		D	14	28	300	696	2450
880.057.502.044		D	14	28	350	748	200
880.057.503.044		D	14	28	350	748	300
880.057.503.544		D	14	28	350	748	350
880.057.504.044		D	14	28	350	748	400



ARTIKELNUMMER		type	zuigerstang	cilinder	slag	lengte	kracht
			Ø	Ø	mm	mm	N
880.057.505.044		D	14	28	350	748	500
880.057.506.044		D	14	28	350	748	600
880.057.506.544		D	14	28	350	748	650
880.057.507.044		D	14	28	350	748	700
880.057.507.544		D	14	28	350	748	750
880.057.508.044		D	14	28	350	748	800
880.057.508.544		D	14	28	350	748	850
880.057.509.544		D	14	28	350	748	950
880.057.512.044		D	14	28	350	748	1200
880.057.512.544		D	14	28	350	748	1250
880.057.513.044		D	14	28	350	748	1300
880.057.516.044		D	14	28	350	748	1600
880.057.517.544		D	14	28	350	748	1750
880.057.518.044		D	14	28	350	748	1800
880.057.522.544		D	14	28	350	748	2250
880.057.902.544		D	14	28	350	796	250
880.057.903.044		D	14	28	350	796	300
880.057.903.544		D	14	28	350	796	350
880.057.904.044		D	14	28	350	796	400
880.057.904.544		D	14	28	350	796	450
880.057.905.044		D	14	28	350	796	500
880.057.906.044		D	14	28	350	796	600
880.057.906.544		D	14	28	350	796	650
880.057.907.044		D	14	28	350	796	700
880.057.908.044		D	14	28	350	796	800
880.057.908.544		D	14	28	350	796	850
880.057.909.044		D	14	28	350	796	900
880.057.911.044		D	14	28	350	796	1100
880.057.913.044		D	14	28	350	796	1300
880.057.913.544		D	14	28	350	796	1350
880.057.914.044		D	14	28	350	796	1400
880.057.916.544		D	14	28	350	796	1650
880.057.917.044		D	14	28	350	796	1700
880.057.917.544		D	14	28	350	796	1750
880.057.918.544		D	14	28	350	796	1850
880.057.919.044		D	14	28	350	796	1900
880.057.920.544		D	14	28	350	796	2050
880.057.921.044		D	14	28	350	796	2100
880.057.922.544		D	14	28	350	796	2250
880.057.923.544		D	14	28	350	796	2350
880.058.502.044	x	D	14	28	400	848	200
880.058.502.544	x	D	14	28	400	848	250
880.058.503.044	x	D	14	28	400	848	300
880.058.504.044	x	D	14	28	400	848	400
880.058.504.544	x	D	14	28	400	848	450
880.058.505.044	x	D	14	28	400	848	500
880.058.506.044	x	D	14	28	400	848	600
880.058.506.544	x	D	14	28	400	848	650
880.058.507.544	x	D	14	28	400	848	750
880.058.508.544	x	D	14	28	400	848	850
880.058.509.544	x	D	14	28	400	848	950
880.058.511.044	x	D	14	28	400	848	1100
880.058.511.344	x	D	14	28	400	848	1125
880.058.512.044	x	D	14	28	400	848	1200
880.058.512.544	x	D	14	28	400	848	1250
880.058.514.044	x	D	14	28	400	848	1400

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.058.516.044	x	D	14	28	400	848	1600
880.058.517.044	x	D	14	28	400	848	1700
880.058.517.544	x	D	14	28	400	848	1750
880.058.518.044	x	D	14	28	400	848	1800
880.058.518.999	x	D	14	28	400	848	1800
880.058.522.044	x	D	14	28	400	848	2200
880.058.902.044		D	14	28	400	896	200
880.058.902.544		D	14	28	400	896	250
880.058.903.044		D	14	28	400	896	300
880.058.904.044		D	14	28	400	896	400
880.058.904.544		D	14	28	400	896	450
880.058.905.044		D	14	28	400	896	500
880.058.905.544		D	14	28	400	896	550
880.058.906.044		D	14	28	400	896	600
880.058.906.544		D	14	28	400	896	650
880.058.907.044		D	14	28	400	896	700
880.058.907.244		D	14	28	400	896	720
880.058.908.044		D	14	28	400	896	800
880.058.908.544		D	14	28	400	896	850
880.058.908.744		D	14	28	400	896	875
880.058.909.044		D	14	28	400	896	900
880.058.911.044		D	14	28	400	896	1100
880.058.912.044		D	14	28	400	896	1200
880.058.913.044		D	14	28	400	896	1300
880.058.914.044		D	14	28	400	896	1400
880.058.916.044		D	14	28	400	896	1600
880.058.916.544		D	14	28	400	896	1650
880.058.917.044		D	14	28	400	896	1700
880.058.917.544		D	14	28	400	896	1750
880.058.918.044		D	14	28	400	896	1800
880.058.919.044		D	14	28	400	896	1900
880.058.921.044		D	14	28	400	896	2100
880.058.922.044		D	14	28	400	896	2200
880.058.922.544		D	14	28	400	896	2250
880.058.923.044		D	14	28	400	896	2300
880.051.001.544	x	D	14	28	500	1048	150
880.051.002.044	x	D	14	28	500	1048	200
880.051.002.544	x	D	14	28	500	1048	250
880.051.003.044	x	D	14	28	500	1048	300
880.051.003.544	x	D	14	28	500	1048	350
880.051.004.044	x	D	14	28	500	1048	400
880.051.004.544	x	D	14	28	500	1048	450
880.051.005.044	x	D	14	28	500	1048	500
880.051.005.544	x	D	14	28	500	1048	550
880.051.006.044	x	D	14	28	500	1048	600
880.051.006.544	x	D	14	28	500	1048	650
880.051.007.044	x	D	14	28	500	1048	700
880.051.007.544	x	D	14	28	500	1048	750
880.051.008.044	x	D	14	28	500	1048	800
880.051.008.544	x	D	14	28	500	1048	850
880.051.009.044	x	D	14	28	500	1048	900
880.051.011.044	x	D	14	28	500	1048	1100
880.051.012.044	x	D	14	28	500	1048	1200
880.051.013.044	x	D	14	28	500	1048	1300
880.051.013.544	x	D	14	28	500	1048	1350
880.051.016.044	x	D	14	28	500	1048	1600




## SERIE 14-28 uitvoering:schroefdraad-schroefdraad

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.051.017.544	x	D	14	28	500	1048	1750
880.051.018.044	x	D	14	28	500	1048	1800
880.051.021.044	x	D	14	28	500	1048	2100
880.051.022.544	x	D	14	28	500	1048	2250
880.051.102.544		D	14	28	500	1096	250
880.051.103.044		D	14	28	500	1096	300
880.051.104.044		D	14	28	500	1096	400
880.051.104.544		D	14	28	500	1096	450
880.051.105.044		D	14	28	500	1096	500
880.051.105.544		D	14	28	500	1096	550
880.051.106.044		D	14	28	500	1096	600
880.051.106.544		D	14	28	500	1096	650
880.051.107.044		D	14	28	500	1096	700
880.051.108.044		D	14	28	500	1096	800
880.051.108.544		D	14	28	500	1096	850
880.051.109.544		D	14	28	500	1096	950
880.051.111.044		D	14	28	500	1096	1100
880.051.112.044		D	14	28	500	1096	1200
880.051.113.544		D	14	28	500	1096	1350
880.051.114.544		D	14	28	500	1096	1450
880.051.117.044		D	14	28	500	1096	1700
880.051.122.544		D	14	28	500	1096	2250
880.051.123.044		D	14	28	500	1096	2300



## SERIE 20-40 uitvoering: schroefdraad-schroefdraad



De met X gemerkte gasveren ook in RVS, uit voorraad leverbaar

ARTIKELNUMMER		type	zuigerstang Ø	cilinder Ø	slag mm	lengte mm	kracht N
880.064.103.044		D	20	40	150	416	350
880.064.113.044		D	20	40	150	416	1300
880.064.114.044		D	20	40	150	416	1400
880.064.115.044		D	20	40	150	416	1500
880.064.117.044		D	20	40	150	416	1700
880.064.120.044		D	20	40	150	416	2000
880.064.125.044		D	20	40	150	416	2500
880.064.126.044		D	20	40	150	416	2600
880.064.128.044		D	20	40	150	416	2800
880.064.135.044		D	20	40	150	416	3500
880.064.136.044		D	20	40	150	416	3600
880.064.140.044		D	20	40	150	416	4000
880.064.145.044		D	20	40	150	416	4500
880.065.105.044		D	20	40	200	516	500
880.065.106.544		D	20	40	200	516	650
880.065.110.044		D	20	40	200	516	1000
880.065.113.044		D	20	40	200	516	1300
880.065.114.044		D	20	40	200	516	1400
880.065.116.044		D	20	40	200	516	1600
880.065.120.044		D	20	40	200	516	2000
880.065.121.544		D	20	40	200	516	2150
880.065.130.044		D	20	40	200	516	3000
880.065.136.044		D	20	40	200	516	3600
880.065.145.044		D	20	40	200	516	4500
880.067.006.044		D	20	40	300	716	600
880.067.008.044		D	20	40	300	716	800
880.067.100.044		D	20	40	300	716	1000
880.067.107.544		D	20	40	300	716	750
880.067.114.044		D	20	40	300	716	1400
880.067.115.044		D	20	40	300	716	1500
880.067.117.544		D	20	40	300	716	1750
880.067.120.044		D	20	40	300	716	2000
880.067.125.044		D	20	40	300	716	2500
880.067.132.044		D	20	40	300	716	3200
880.067.137.044		D	20	40	300	716	3700
880.067.137.544		D	20	40	300	716	3750
880.067.144.044		D	20	40	300	716	4400
880.069.105.044		D	20	40	400	916	500
880.069.106.044		D	20	40	400	916	600
880.069.106.544		D	20	40	400	916	650



**SERIE 20-40** uitvoering: schroefdraad-schroefdraad

ARTIKELNUMMER		type	zuigerstang	cilinder	slag	lengte	kracht
			Ø	Ø	mm	mm	N
880.069.108.544		D	20	40	400	916	850
880.069.109.044		D	20	40	400	916	900
880.069.110.044		D	20	40	400	916	1000
880.069.112.044		D	20	40	400	916	1200
880.069.115.044		D	20	40	400	916	1500
880.069.120.044		D	20	40	400	916	2000
880.069.122.544		D	20	40	400	916	2250
880.069.124.044		D	20	40	400	916	2400
880.069.125.044		D	20	40	400	916	2500
880.069.126.044		D	20	40	400	916	2600
880.069.127.044		D	20	40	400	916	2700
880.069.128.044		D	20	40	400	916	2800
880.069.132.544		D	20	40	400	916	3200
880.069.135.044		D	20	40	400	916	3500
880.069.140.044		D	20	40	400	916	4000
880.069.142.544		D	20	40	400	916	4250
880.069.144.044		D	20	40	400	916	4400
880.069.145.044		D	20	40	400	916	4500
880.061.110.044		D	20	40	500	1116	1000
880.061.112.044		D	20	40	500	1116	1200
880.061.115.044		D	20	40	500	1116	1500
880.061.117.544		D	20	40	500	1116	1750
880.061.119.544		D	20	40	500	1116	1950
880.061.120.044		D	20	40	500	1116	2000
880.061.122.544		D	20	40	500	1116	2250
880.061.124.044		D	20	40	500	1116	2400
880.061.125.044		D	20	40	500	1116	2500
880.061.127.044		D	20	40	500	1116	2700
880.061.127.544		D	20	40	500	1116	2750
880.061.128.544		D	20	40	500	1116	2850
880.061.133.044		D	20	40	500	1116	3300
880.061.140.044		D	20	40	500	1116	4000
880.061.145.044		D	20	40	500	1116	4500
880.061.146.044		D	20	40	500	1116	4600